PERMIT NO. .

APPROVED BY .

CONDITIONS OF APPROVAL, IF ANY:

UNITED STATES



Form approved. Budget Bureau No. 42-B1425.

DEPARTMENT OF THE INTERIOR 5. LEASE DESIGNATION AND SERIAL NO. 14-20-603-246 GEOLOGICAL SURVEY 6. IF INDIAN, ALLOTTED OR TRIBE NAME APPLICATION FOR PERMIT TO DRILL, DEEPEN, OR PLUG BACK Navajo 1a. TYPE OF WORK 7. UNIT AGREEMENT NAME PLUG BACK DEEPEN | DRILL 🗵 SW-I-4192 b. TYPE OF WELL S. PARM OR LEASE NAME MELL X OTHER Ratherford Unit 2. NAME OF OPERATOR 9. WELL NO. Phillips Oil Company #12-34 3. ADDRESS OF OPERATOR JAN 02 1985 10. FIELD AND POOL, OR WILDCAT P. O. Box 2920 Casper, WY 82602 /Greater Aneth 4. LOCATION OF WELL (Report location clearly and in accordance with any State requirements.*) DIVISION OF 11. SEC., T., R., M., OR BLK. AND SURVEY OR ARMA 675' FSL, 1905' FEL (SW SE) OIL, GAS & MINING At proposed prod. zone Sec. 12-T41S-R23E same 12. COUNTY OR PARISH | 13. STATE 14. DISTANCE IN MILES AND DIRECTION FROM NEAREST TOWN OR POST OFFICE* San Juan Utah Approximately 3 miles southeast of Montezuma Creek, Utah

15. DISTANCE FROM PROPOSED* 675 north of Ratherford No. OF ACRES IN LEASE
LOCATION TO NEAREST 17. NO. OF ACRES ASSIGNED TO THIS WELL LOCATION TO NEAREST
PROPERTY OF LEASE LINE, FT. Unit Lease Line
(Also to nearest drig. unit line, if any) 1807 Acres 40 acres 20. BOTARY OR CABLE TOOLS 1245 West 19. PROPOSED DEPTH 18. DISTANCE FROM PROPOSED LOCATION* 1245 W
TO NEAREST WELL, DRILLING, COMPLETED, or APPLIED FOR, ON THIS LEASE, FT. Of #12W44 5700 Rotary 22. APPROX. DATE WORK WILL START* 21. ELEVATIONS (Show whether DF, RT, GR, etc.) 4665' ungraded ground First quarter 1985 23. PROPOSED CASING AND CEMENTING PROGRAM QUANTITY OF CEMENT SETTING DEPTH WEIGHT PER FOOT SIZE OF HOLE SIZE OF CASING 17-1/2" 13-3/8" 150 sx (Circ to surface) 48# <u> 100'</u> 12-1/4" 9-5/8" 1600' 36# 600 sx (Circ to surface) 8-1/2" 57001 23# & 26# 600 sx (T.O.C. Approx 2000') Approval is requested to drill Ratherford Unit #12-34, a Desert Creek Development oil well, to increase the ultimate recovery from the Ratherford Unit. BOP equipment will be operated daily and tested weekly. APPROVED BY THE STATE OF UTAH DIVISION OF OIL, GAS, AND, MINING DATE: BY: IN ABOVE SPACE DESCRIBE PROPOSED PROGRAM: If proposal is to deepen or plug back, give data on present productive some and proposed new productive zone. If proposel is to drill or deepen directionally, give pertinent data on subsurface locations and measured and true vertical depths. Give blowout preventer program, if any. December 27, 1984 Area Manager TITLE SIGNED Stuart (This space for Federal or State office use)

APPROVAL DATE

TITLE

TION 675'FSL 1909		und		
	Sec.			
		12	<u> </u>	_
		6751	19051	
LE-4 INCHES EQUA	LS 1 MILE			

July 1

CARMINGTON, N. M.

RATHERFORD UNIT #12-34

Supplement to Form 9-331C "Application for Permit to Drill, Deepen, or Plug Back."

DRILLING PROGRAM

 Surface formation is the Dune Sand, which consists of loose windblown sand, age-recent.

Estimated tops of geologic markers:

 Shinarump
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...
 ...

- 2. Brackish water-bearing sands are expected in the Navajo, Wingate, and DeChelly formations. Oil is expected to be encountered in the Ismay and Desert Creek formations. The top of cement will be approximately at 2000'.
- 3. Blow-out preventers will be 10" Series 900 equipment to be tested initially to 3000 psi. They will be inspected and operated daily and pressure tested weekly to 1500 psi. Weekly pressure tests will be supervised by representatives of Phillips Oil Company and the drilling contractor. Tests will be recorded on the daily drilling report which will remain on the rig floor during drilling operations. BOP tests will be conducted in accordance with Phillips standards, copy attached.
- 4. a. Proposed Casing Program:
 - 1. Conductor casing:

100' 13-3/8" 48#/ft H-40 ST&C new

2. Surface casing:

1600' 9-5/8" 36#/ft K-55 ST&C new Surface casing will be tested to 1500# before drilling out.

3. Production casing:

5700' 7" 23# & 26#/ft K-55 ST&C new Production casing will be tested to 3000#.

b. Proposed Cementing Program:

1. Conductor Casing:

Conductor casing will be cemented with $150~{\rm sks}$ Class B cement. Cement will be brought to surface.

2. Surface Casing:

Surface casing will be cemented with 300 sks "light" cement followed with 300 sks Class B cement. Cement will be brought to surface.

3. Production casing:

Production casing will be cemented with "light" cement followed with Class B cement. For cement volume, caliper will be used with 15% excess. The top of the cement should be around 2000'. If other zones with hydrocarbon potential are encountered, they will be covered with cement.

c. Auxiliary Equipment:

Auxiliary equipment will include upper and lower kelly cocks, a drill string safety valve, and a pit level indicator.

5. Drilling Fluid:

Drilling fluid will be a fresh water based mud system. Spud mud is gel and water with a weight of 8.4-8.8 ppg. From the surface to approximately 1600', gel and water will be used. Mud weight may be up to 9 ppg to control water flow from the Wingate formation. A slurry of 8.6-9.5 ppg, 32-38 viscosity, and less than 15cc/30 min. water loss will be used from 1600'-5200'. Mud weight may be increased to 10.4 ppg if a water flow is encountered. From 5200' to total depth mud properties will be 10.5-12.5 ppg, 40-45 viscosity, and below 10 cc water loss.

Adequate quantities of mud materials will be stored at the location to equal the volume of the rigs complete circulating system. A flow sensor will be used.

6. Testing, logging, and coring:

The logging program will consist of DLL, GR, SP, and Caliper from T. D. to the surface casing. A FDC/CNL and a Micro-proximity log will be run from T. D. to 4300'. A temperature or cement bond log will be run to determine cement top. No coring or drill stem tests are planned.

7. Downhole Conditions:

Drilling in the area indicates no abnormal pressures, temperatures, or hydrogen sulfide gas.

8. Phillips anticipates starting operations in the first quarter of 1985. Drilling operations are estimated to take fifteen days per well.

CULTURAL RESOURCE REPORT

Abajo Archaeology has prepared a cultural resource inventory of the subject wellsite. A copy of the report has been sent to the BLM Farmington office. Pertinent information regarding the subject well is attached.

SURFACE USE PROGRAM

1. Existing Roads

- a. Access to existing lease roads is approximately 3 miles southeast of Montezuma Creek, Utah.
- b. The existing roads will be maintained in the same or better condition.
- c. Refer to the attached access road map for road information.

2. Access Roads

Planned upgrading of existing access roads is shown on the attached map.

Location of Existing Wells.

Locations of existing wells are shown on the attached maps.

4. Production from the proposed well will be piped to Ratherford Unit Tank Battery #2, located in the NW SE Sec. 12-T41S-R23E San Juan County, Utah. The flowline will be visible from the existing lease roads. A plat of the proposed leadline is attached.

5. Water Supply

- a. The source of water to drill the subject well is from the River Booster, NE/4 Sec. 5., or from the Water Injection Plant, SE/4 Sec. 17 in T41S-R24E, San Juan County, Utah.
- b. The drilling water will be trucked from the water source to the subject well.
- c. A water supply well will not be drilled on the lease.

6. Construction Materials

Only native soils will be used for construction of wellsite and the access road.

- b. Pit run rock will be used on the wellsite and access road when needed.
- c. The above materials are owned by the Navajo Tribe.

7. Waste Disposal

- a. Cuttings: Cuttings will be contained in a fenced reserve pit until dry enough to cover. Upon abandonment, the reserve pit area will be backfilled, shaped to natural topography, and seeded.
- b. Drilling Fluid: Drilling fluid will be contained in a fenced reserve pit until dry enough to cover. Upon abandonment, the reserve pit area will be backfilled, shaped to natural topography, and seeded.
- c. Garbage/Trash: All garbage and trash will be put in the burn pit. The burn pit will be fenced on four sides. After the burn pit is no longer in use, the trash and garbage will be covered with a minimum of 4 feet of fill.
- d. Salt: No salts are anticipated on this well. If salt is present, it will be disposed of in the reserve pit.
- e. Chemicals: Chemicals will be disposed of in the reserve pit.
- f. Sewage: Dry chemical toilets will be used.
- 8. Ancillary Facilities

No ancillary facilities are required.

- 9. Well Site Layout.
 - a. Refer to attached Rig Layout plat
 - b. There are no plans to line the reserve pit unless porous soil materials are encountered during construction.

Surface Reclamation Plans

- a. Construction Program: A cross section of the drill site showing cuts and fills is attached.
- b. Well Abandonment: All disturbed areas will be shaped to the natural topography and seeded in accordance with BLM requirements.
- c. Producing Well: Those areas not needed for production purposes will be recontoured to the surrounding topography. Seeding will be in accordance with BLM requirements.

- d. Pipelines and flowlines: Flowlines will be above ground and follow or be visable from existing roads.
- e. Rehabilitation will begin as soon as possible, considering weather and other factors, and proceed per recommendation of the BLM. The reserve pit will be reclaimed once it dries.
- Surface Ownership: The wellsite location, access road and leadline are on the Navajo Indian Reservation. No dwellings are in the proposed drilling area.
- 12. Other information:

The reserve pit will be fenced on three sides during drilling and on the fourth side after the rig is moved out.

- 13. Operator's Representative and Certification.
 - a. Field Representative:


A. E. Stuart P. O. Box 2920 Casper, Wyoming 82602 307-237-3791

I hereby certify that I or persons under my direct supervision have inspected the proposed drill site and access route; and I am familiar with the conditions which currently exist; that the statements made in this plan are to the best of my knowledge true and correct; and that the work associated with operations proposed herein will be performed by Phillips Oil Company and its contractors and subcontractors in conformity with this plan and the terms and conditions under which it is approved. This statement is subject to the provisions of the 18 U.S.C. 1001 for the filing of a false statement.


Date December 29, 1884

A. E. Stuart Area Manager

BJM/fb:1t(18) Casper - RC




A-A' Vert:	1"=30"	Horiz: 1"=100'	C-L		
4670					
		איי אוי			Alt.
4660 4650					
4650					
· · · · · · · · · · · · · · · · · · ·					
P-P-	43		C-:	<u> </u>	<u>-</u> -
4670		-	<u> </u>		
4670 4660	.				
					
4660					
4660					



NA

#12-34 SWSE Salz.-T415-RZ3E




DRILLING RIG LAYOUT


4. Rig


6. TRAILERS


5. CAT WALK & PIPE RACKS


OUTLINE OF LOCATION - APPROXIMATELY 300' > 350'
NOT TO SCALE











- 2" FE PRESSURE-OPERATED CHOKE LINE
- VALVE
- B. 2" FE GATE VALVE
 6. 2" FE CHOKE LINE TO MANIFOLD
 7. 2" FE GATE VALVES
 8. 2" FE KILL LINE

- 10. 2" SE OR FE GATE VALVE WITH NEEDLE VALVE
 11. CASING HEAD HOUSING

Figure 7-10. Standard Hydraulic Blowout Preventer Assembly (2 M or 3 M Working Pressure) Alternative 3 (without Drilling Spool)

Well Control 4 January/83

PHILLIPS PETROLEUM COMPANY

Page 251 Section II

7.6 Testing Surface Blowout Preventer Equipment

7.6.1 Pressure Test Frequency

All rams, annulars, valves, choke and kill lines, choke manifold, kelly cocks, and safety valves shall be pressure tested at the following frequencies:

- (1) Initial installation of blowout preventers.
- (2) After setting casing, before drilling cement.
- (3) Every 7 days or on first trip out of hole after 7 days since previous pressure test.
- (4) After any component of the blowout preventer assembly is disturbed, replaced or repaired (this includes lines, valves, or choke manifold). In this case, the component changed may be the only component tested.
- (5) Prior to conducting first drill stem test in a series of one or more DST's.
- (6) Any time the Phillips Wellsite Supervisor deems necessary, such as prior to drilling into suspected high pressure zones.



7.6.2 Function Test Frequency

All rams, annulars, valves, and other items specified below, shall be function tested at the following frequencies.

- (1) On initial installation from driller control and remote panel.
- (2) Each trip out of hole alternating between driller's and remote control panel but not more than once every twenty-four (24) hours. Close pipe rams or annular preventer CNLY on drill pipe.

7.6.3 Test Pressures

Use the following table to identify which test is appropriate and at what pressure.

Test	DESCRIPTION
Low Pressure	Test to 200-300 psi prior to each high pressure test.
Initial Installation	Test all rams, annulars, valves, choke manifold, kelly cocks, and safety valves to the lesser of the following pressures.
	. Rated working pressure of the component in the blowout preventer assembly with the exception of annular preventer which is to be tested to 70% of the rated working pressure.
	. The API rated casing burst pressure of the last casing to be utilized in the well with the BOP assembly being tested.
	. Rated working pressure of the casing head.
	. If "Cup Tester" is used do not exceed 80% of the API rated burst pressure of the casing.
Repair	Repaired or replaced components are to be tested to the same pressures used in the Initial Test.



TEST	DESCRIPTION
Weekly and After Setting Casing	Test all rams, annulars, valves, choke and kill lines, choke manifold, kelly cocks, and safety valves, to the lesser of the following pressures.
	. 50% of the rated working pressure of the component to be tested.
	. 80% of the API rating of the casing burst pressure then in the well.
	. Test blind rams during internal casing pressure test. (Refer to drilling program for test pressures).
DST Operations	Test all pipe rams, annular preventers, valves, choke and kill lines, choke manifold, kelly cocks, and safety valves to the maximum anticipated surface pressure expected while conducting drill stem tests. Do not test annular to more than 70% of its working pressure.
Shallow Casing	Where cased hole is less than 2000 feet measured depth, the test pressure may be 1.5 psi per foot of casing depth, not to exceed 80% of the API rated burst pressure. In the case of shallow conductor casing or drive pipe (500 feet or less) that is equipped with one BOP, then the test pressures do not need to exceed 1.0 psi per foot of casing depth.
Accumulator	Test accumulator to the manufacturer's rated working pressure. Test the accumulator for time to pump up to specifications.

7.6.4 Blowout Preventer Test Practices

(1) All pressure tests shall be witnessed by Phillips' Representative and the Contractor's Senior Supervisor on Location. All tests shall be recorded on the Phillips' Daily Drilling Report, the IADC Report and the BOP Test Form; see Figure 7-13. A reproducible copy of the BOP Test Form (Figure 7-13) can be found in Section III.



FIELD PRACTICES AND STANDARDS

7.6.4, cont'd

- (2) Hold all low pressure tests for three minutes and high pressure tests for five minutes or until Phillips Representative and the Contractor's Senior Supervisor are satisfied no leaks exist.
- (3) A detail procedure for the testing of blowout preventer and choke manifold equipment will be included in the drilling programs. The procedure is to be distributed for each drilling unit under contract by the operating office. Each operating office must include the following practices:
- a. Prior to testing, all lines and valves will be thoroughly flushed to ensure the system is clear. Test all opening and closing control lines to 1500 psi and inspect for leaks.
- b. If necessary, run a stand of drill collars below the test plug to prevent unseating the test tool during testing.
- c. All precautions must be taken to avoid pressuring the casing below the test tool.
- d. The running string is to be full of water (or antifreeze solution) for immediate indication of test tool leakage.
- e. All pipe rams, blind/shear rams, blind rams, annular preventers, valves, fail-safe valves, choke and kill lines are to be tested at the frequencies and pressures outlined in this section.
- f. Drill pipe safety valve, lower and upper kelly cocks are to be tested from below at pressures and frequencies outlined in this section.
- g. All test fluids are to be bled back to the pump unit in safe manner.

7.6.5 Testing Wellhead Pack-offs

The wellhead pack-off is to be pressure tested upon installation for five minutes. Test pressure is to be 80% API rated casing collapse or the rated working pressure of the casing head whichever is the lesser. Casing annulus valve(s) must be in open position to prevent casing collapse during pack-off testing.

When testing the wellhead pack-off, use recorded test pressures and volumes to determine if pack-off is leaking. Pressure should be immediately released at the first indication of a leak.



7.6.6 Safety Precautions

One pumping unit operator is to be stationed at the high pressure pumping unit, and is to remain at this station until all testing has been completed. The pump unit operator is to be in continuous communication with the person who is recording the test data. The Phillips Wellsite Supervisor and Contractor's Senior Supervisor on location will be the only personnel who will go into the test area to inspect for leaks when the equipment involved is under pressure. The rig crews are to stay clear of the area until such time that both the Phillips Wellsite Supervisor and the Contractor's Senior Supervisor have contacted the pumping unit operator and all three have agreed that all pressure has been released, and there is no possibility of pressure being trapped. The rig crews may then go into the area to repair leaks or work as directed.

All lines, swings, and connections that are used in the testing of the blowout preventers are to be adequately secured in place.

Pressure is to be released only through the pressure release lines that are vented back into the pump unit tanks. The lines are to be clamped down to direct the flow into unit tanks.

ARCHAEOLOGICAL SURVEYS OF 13 PROPOSED WELL LOCATIONS,
THEIR ASSOCIATED ACCESS ROADS AND FLOW LINE ROUTES,
AND 9 MILES OF PROPOSED WATER INJECTION LINE ROUTES
IN SAN JUAN COUNTY, SOUTHEASTERN UTAH

12-W24	13-12	13-43
12-34	13-14	18-W12
14-41	13-21	24-41
13-11	13-23	29-22
13-11	13-34	

Water Injection Lines: Mainline and Lines A, B, C, D, E, F, F-1, G, H, I, and J

Prepared by:

Debra Foldi Archaeological Consultant

Prepared for:

Phillips Oil Company Cortez, Colorado

Submitted by:

William E. Davis, Director Abajo Archaeology Bluff, Utah

August 1984

Navajo Nation Antiquities Permit No. 1984-24
United States Department of the Interior
Bureau of Indian Affairs
Branch of Environmental Quality Control Authorization
BIA-NAO-84-ABA-048-1

and Utah State Permit No. U-84-8-5-i

TABLE OF CONTENTS

ABSTRACTiv
INTRODUCTION 1
DESCRIPTION OF PROJECT AREA 6
CULTURE HISTORY 7
METHODOLOGY8
RESULTS14
RECOMMENDATIONS22
REFERENCES CITED23
APPENDIX: Site form SJC-1106

LIST OF FIGURES

FIGURE										-				
FIGURE	2,	• • •	• • •			••			•••	• • •	••••	• • • •		. 9
FIGURE														
FIGURE	4			• • ,•			••.•	• • •	• • •	• • •	• • • •		• • • •	.15
FIGURE	5		• • •		•••		• • •	• • •	•••	• • •	• • • •			.18
FIGURE	6				• • •	• •	• • •	• • •	• • •	• • •			• • • •,	.19
FIGURE	7		• • •							•••	• • • • •			. 20
FIGURE	8		• •, •		• • •		• • •		• • •	•••			• • • •	.21
•													•	- .
						L	est	OF	TAI	BLES	3			
TABLE	1	•••		• • •			•••	•••		• • •			· • • •	. 3
TABLE														
TABLE														
TABLE	4			• • •		• • •				• • •	• • • •	• • • •		.13
TARLE	5												16	,17

ABSTRACT

Cultural resource surveys were conducted as part of the Rutherford Unit expansion project for Phillips Oil Company, in southeastern San Juan County, Utah. The surveys were performed on August 4, 6, 7, 9, and 11, 1984 on 13 proposed well location sites, eight associated access roads, portions of six associated flow line routes, and along nine miles of proposed injection line. The project area occurs in Sections 11, 12, 13, 14, and 24 in T 41 S, R 23 E and Sections 7, 17, and 18 in T 41 S, R 24 E, USGS White Mesa Village Quadrangle, Utah, 15'. It is under jurisdiction of the Bureau of Indian Affairs.

Seventeen isolated finds and one Anasazi Basketmeker II to Pueblo I artifact scatter (SJC-1106) were located during the survey. The isolated finds are not considered significant in terms of the eligibility criteria set forth in the National Register of Historic Places, thus, archaeological clearance is recommended for the project area, except the 100 meters of mainline injection pipeline east of its juncture with line J. It is recommended that the pipeline be rerouted or that an archaeologist be present to monitor construction of that portion of pipeline.

INTRODUCTION

On August 4, 6, 7, 9, and 11, 1984, cultural resource surveys were conducted within the Rutherford Unit south of Montezuma Creek, southeast San Juan County, Utah (Figure 1). The surveys were requested by Mr. Max Issacs, supervisor of Phillips Oil Company of Cortez, Colorado, and carried out at the request of Mr. Bob Hogg, engineer, and Mr. John White, who replaced Mr. Max Issacs. Both Mr. Hogg and Mr. White were present in the field during portions of the survey. Mr. Hogg assisted the archaeologist by flagging the access routes and flow lines during the survey. The project consisted of 13 proposed well locations, their associated access routes and flow lines, and approximately nine miles of proposed injection pipeline.

The project area lies within the boundaries of the Navajo Reservation (Tables 1 and 2) which is under the jurisdiction of the United States Department of the Interior, Bureau of Indian Affairs and the Navajo Nation. Cultural resources are administered by the USDI-BIA, Branch of Environmental Quality and by the Navajo Nation Cultural Resource Management Program.

The purpose of the survey was to verify the presence of and document any cultural resources within the proposed project impact areas. The accomplishment of these objectives fulfills compliance requirements for the preservation of archaeological and historical resources set forth by the American Antiquities Act of 1906, the Historic Preservation Act of 1966, the National Environmental Policy Act of 1969, Executive Order No. 11593 of 1971, the Archaeological and Historical Conservation Act of 1974, and the Archaeological Resources Protection Act of 1979. Cultural resources occurring on Navajo Tribal lands are further protected by Tribal laws: CJA-16-72 of 1972, Res. ACAP-86-77 of 1977, and the Navajo Tribal Code, Title Nineteen, Sections 1002 and 1004.

Field work was conducted under the Navajo Nation Antiquities Permit No 1984-24, the USDI-BIA, Environmental Quality Authorizaion No. BIA-NAO-84-048-1, and State of Utah Permit No. U-84-8-5-i. These permits and authorizations were granted to Abajo Archaeology of Bluff, Utah. BIA-NAO-84-ABA-048-1 is a "non-collection, non-disturbance" use authorization to conduct archaeological surveys on Navajo Tribal lands. The surveys were performed by Debra Foldi, an archaeological consultant with Abajo Archaeology. Dr. Anthony Klesert, Director of the Navajo Nation Cultural Resource Management Program and Mr. Terry




Figure 1. Location of Phillips Oil Company Rutherford Unit - 1984 expansion project. Stippling outlines project area.

Map Scale: 1:62,5000

TABLE 1 Legal Description of Project Area

Jurisdiction: Navajo Nation
Map: White Mesa Village Quadrangle, Utah, 1962, 15'

Well Pad	Legal Location	UTM (Zone 12)	Access Route, Length
12-W24	CTSESW, Sec.12	647,000 m E	300 feet (runs west
	T 41 S, R 23 E	4,121,825 m N	from location)
12-34	SESWSE, Sec.12	647,700 m E	600 feet (runs SSW
	T 41 S, R 23 E	4,121,800 m N	from location)
14-41	NENENE, Sec.14	646,250 m E	1000 feet (runs west
	T 41 S, R 23 E	4,121,950 m N	from location)-flow line follows access
32 11	CTNWNW, Sec.13	646,600 m E	800 feet (runs north
13-11	T 41 S, R 23 E	4,121,950 m N	from location)-flow
	1 41 5, 8 25 5	4,121,550 E	line follows access
13-12	NWSWNW, Sec.13	646,600 m E	1300 feet (runs west
13-12	T 41 S, R 23 E	4,121,075 m N	from location)-flow
•	1 41 3, R 23 2	,,,	line follows access
13-14	CTSWSW, Sec.13	646,600 m E	800 feet (runs WSW
13-14	T 41 S, R 23 E	4,120,175 m N	from location)
13-21	CTNENW, Sec. 13	647,000 m E	No access surveyed
13-21	T 41 S, R 23 E	4,121,400 m N	No flow line surveyed
13-23	CTNWSW, Sec.13	647,000 m E	No access surveyed
13 13	T 41 S, R 23 E	4,120,600 m N	No flow line surveyed
13-34	CTSWSE, Sec.13	647,700 m E	600 feet (runs south
	T 41 S, R 23 E	4,120,200 m N	from location)-flow
			line follows access
13-43	SWNESE, Sec.13	647,750 m E	600 feet (runs NNE
	T 41 S, R 23 E	4,120,500 m N	from location)-flow
	·	•	line follows access
18-W12	CTSWNW, Sec.18	648,225 m E	500 feet (runs ENE
	T 41 S, R 24 E	4,120,300 m N	from location)-flow
•	•		line follows access
24-41	CTNENE, Sec.24	647,825 m E	No access surveyed
<u> </u>	T 41 S, R 23 E	4,119,800 m N	No flow line surveyed
29-22	SWSENW, Sec.29	650,080 m E	900 feet (runs east
	T 41 S, R 24 E	4,117,600 m N	from location)-flow
			line follows access
		<i>2</i>	

TABLE 2

Legal Descriptions of Water Injection Lines

Jurisdiction: Navajo Nation

Map: USGS White Mesa Village Quadrangle, Utah, 1962, 15'

Line	Legal Location	Length (Ft.)
Main	SE & SW of SE, SE & SW of SW, Sec.17, T41S, R24E SE & SW of SE, SE & SW of SW, Sec.18, T41S, R24E SE & NW of SE, SE & NW of NW, Sec.13, T41S, R23E SE of SE, Sec.11, T41S, R23E	18,500
A	SE & NE of SE, Sec.17, T41S, R24E	1,250
В	Eastern portion of: SE & NE of SE and SE & NE of NE and NENW of NE, Sec.18, T41S, R24E	6,900
c	SE & NE of SW, Sec.18, T41S, R24E	1,400
Ď	SW & NW of SW, SW of NW, Sec.18, T41S, R24E SE of NE, Sec.13, T41S, R23E	3,250
E	SE of NW, NW & NE of NE, Sec.13, T41S, R23E SE of SE, Sec.12, T41S, R23E SW of SW, Sec. 7, T41S, R24E	5,500
F	NW of NW, Sec.13, T41S, R23E SE of SW and NW of SE, Sec.12, T41S, R23E	3,850
F-1	SE of SW and SW of SW and NW of SW, Sec.12, T41S, R23E	1,500
G	NW of NW, Sec.13, T41S, R23E/SE of NE, Sec.14, T41S, R23E	1,700
H	SE of NW and NW of SW, Sec.13, T41S, R23E	1,500
I	NE of SE and SE of SW, Sec.13, T41S, R23E	1,700
J	SW of SW, Sec.18, T41S, R24E	300

Del Benee of the USDI-BIA Branch of Environmental Quality were notified prior to performance of the field surveys.

DESCRIPTION OF THE PROJECT AREA

The Phillips Oil Company, Rutherford Unit development project is located in the extreme southeastern portion of San Juan County, just south of Montezuma Creek, Utah. The San Juan River flows to the north (2.5 miles), White Mesa Mountain is to the south, and Flat Top Mountain is situated within the project area. The Rutherford Unit project is within the Blanding Basin of the Colorado Plateau Physiographic Province (Stokes 1977) and is characterized by broken topography ranging in elevation from 4580 feet to 6000 feet above sea level. Most of the project area is flat to rolling terrain, broken by steep-sided mesas, and dissected by intermittent washes and arroyos which feed the San Juan River. The San Juan River is the nearest permanent water source.

The surface geology is reflected in the general broken nature of the landscape. The lower flatlands are fluvial sandstones and mudstones of the Recapture Creek member of the Morrison Formation, which is generally covered by wind blown silts and sands with patches of soil and alluvium (Hintze and Stokes 1964). The lower, light-colored Bluff Sandstone Formation is exposed along Desert Creek (at the east edge of the project area) and portions of Blue Hogan Wash (Hintze and Stokes 1964). The mesas are comprised of the Westwater Canyon and Brushy Basin Members of the Morrison Formation; the later is a dinosaur-bearing, fluvial and lacustrine mudstone and siltstone (Hintze and Stokes 1964) which often contains chert deposits. The coal-bearing sandstone and carbonaceous shales of the Dakota Sandstone cap the higher mesa tops.

The vegetation is in the cool desert climates classified as the Upper Sonoran Life Zone and is characterized by a shadscale (salt desert shrub) plant community. The vegetation noted during the survey included snakeweed, rabbitbrush, shadscale, Mormon tea, big sagebrush, greasewood, saltbush, narrow-leaf yucca, prickly pear cactus, galleta grass, Indian rice grass, cheat grass, locoweed, and Russian thistle. Today, the project area supports a fairly large population of domesticated grazers: sheep, horses, and cattle. Non-domesticates noted during the survey were rabbits, rodents, lizards, and unidentified birds.

CULTURE HISTORY

Broad overviews have been written, synthesizing the known culture history of southeastern Utah (see Nickens 1982, Weber 1982) and of northwestern New Mexico (see Stuart and Gauthier 1981). In general, the San Juan Basin, as was much of the Colorado Plateau, was inhabited prehistorically by the Basketmakers and Anasazi, relatively sedentary people who first incorporated horticulture into a hunting and gathering subsistence strategy, and later practiced agriculture. The Archaic huntergatherers and the earlier Paleo-Indian, mega-fauna hunters preceded the Basketmakers and Anasazi.

Historically the San Juan Basin, as was much of the Intermountain West, was inhabited by the Navajo and Ute. Although their entry into this area is as little understood as their early history, it is believed that their arrival barely preceded the Spanish Entrada during the 16th century (Wilcox 1981). From that time on, the area was visited by the Spanish, Anglo explorers, trappers, and traders, and later in the 19th century, by the Mormon settlers. Presently, much of the San Juan Basin, primarily the southern portion, is inhabited by the Navajo.

Archaeological surveys related to energy development to the east and northeast of the Rutherford Unit project (see Hewett et al 1979, Moore 1983, 1984, Swift 1984a, 1984b) have documented a variety of sites from artifact scatters to multiroom structures. Documented sites range from the Anasazi Pueblo I phase through recent Navajo. The highest site density occurs during the Anasazi Pueblo II phase, AD 900-1100. In the immediate project area, numerous isolated finds and Basketmaker II through Pueblo III and recent Navajo sites have been recorded (see Langenfeld and Hooten 1984, Langenfeld 1984).

METHODOLOGY

A total of 13 proposed well location sites and eight access routes were inventoried, along with portions of six flow line routes (above ground pipes). A total of 9.13 miles (48,200 feet) of proposed water injection line (buried pipeline) were also inventoried (Figures 2 and 3). Tables 3 and 4 describe the area surveyed. Each of the well location sites were staked prior to the survey, demarcating the 300 by 350 foot pad site. Each well location was inspected by walking parallel transects spaced 10 meters apart back and forth until the entire location was surveyed. An additional 100 foot (30 meter) buffer zone was also inspected around the staked well pad site.

The access roads and flow line routes were flagged while the archaeologist surveyed the well sites. No access routes were surveyed for well locations that were situated on or at the edge of existing maintained roads. Flow lines are to follow proposed and existing roads and existing flow line routes. Only the portions of proposed flow line routes that paralleled proposed access roads which have yet to be built were surveyed. A 100 foot right-of-way was surveyed by walking a zig-zag pattern along each flagged access route. If a flow line was to follow the access route, an additional 25 feet were inspected in the same manner.

The injection line routes were marked by lath stakes. A 50 foot right-of-way was inspected along the staked route, using the stakes as a center line. This was accomplished by walking a zig-zag pattern down one side of the line and back along the other.

All cultural materials encountered during the survey were noted, described, and often illustrated. Those cultural resources which lacked spacial integrity and the potential for interpretable past human behavior (Plog et al 1978) were noted as isolated finds.

In addition to the field inspection, a search of the site files at the Navajo Nation Cultural Resource Management Program in Window Rock, Arizona, was initiated by phone, August 13, 1984. A records search by the Utah Division of State History found no sites to have been previously recorded within the proposed project impact areas.






Figure 2. Locations of proposed well locations, access roads and flow line routes.

Map Scale: 1:62,500




Figure 3. Location and routes of proposed water injection lines.

TABLE 3

Description of Well Pad Project Area and Area Surveyed

Well Pad	Project Area (square feet)	Area Surveyed (square feet)
12-W24	300 ft X 350 ft = 105,000 (2.41 acres)	400 ft X 450 ft = 180,000 (4.13 acres)
	Access route = 300 ft	300 ft X 100 ft = 30,000 (0.69 acres)
12-34	300 ft X 350 ft = 105,000 (2.41 acres)	400 ft X 450 ft = 180,000 (4.13 acres)
	Access & flow line = 600 ft	600 ft X 125 ft = 75,000 (1.72 acres)
14-41	300 ft X 350 ft - 105,000 (2.41 acres)	400 ft X 450 ft = 180,000 (4.13 acres)
, . , .	Access & flow line = 1,000 ft	1,000 ft X 125 ft = 125,000) (2.87 acres)
13-11	300 ft X 350 ft = 105,000 (2.41 acres)	400 ft X 450 ft = 180,000 (4.13 acres)
	Access & flow line = 800 ft	800 ft X 125 ft = 100,000 (2.30 acres)
13-12	300 ft X 350 ft = 105,000 (2.41 acres)	400 ft X 450 ft = 180,000 (4.13 acres)
	Access & flow line = 1,300 ft	1,300 ft X 125 ft = 162,500 (3.73 acres)
13-14	300 ft X 350 ft = 105,000 (2.41 acres)	400 ft X 450 ft = 180,000 (4.13 acres)
	Access route = 800 ft	800 ft X 125 ft = 100,000 (2.30 acres)
	Plow line = 700 ft	700 ft X 100 ft = 70,000 (1.61 acres)
13-21	300 ft X 350 ft = 105,000 (2.41 acres)	400 ft X 450 ft = 180,000 (4.13 acres)
	No access or flow line surveyed	
13-23	300 ft X 350 ft = 105,000 (2.41 acres)	400 ft X 450 = 180,000 (4.13 acres)
	No access or flow line surveyed	
13-34	300 ft X 350 ft = 105,000 (2.41 acres)	400 ft X 450 ft = 180,000 (4.13 acres)
	Access and flow line = 600 ft	600 ft X 125 ft = $75,000$ (1.72 acres)

TABLE 3, continued

Well Pad	Project Area (square feet)	Area Surveyed (square feet)
13-43	300 ft X 350 ft = 105,000 (2.41 acres)	400 ft X 450 ft = 180,000 (4.13 acres)
	Access & flow line = 600 ft	600 ft X 125 ft = 75,000 (1.72 acres)
18-W12	300 ft X 350 ft = 105,000 (2.41 acres)	400 ft X 450 ft = 180,000 (4.13 acres)
	Access & flow line = 500 ft	500 ft X 125 ft = 62,500 (1.43 acres)
24-41	300 ft X 350 ft = 105,000 (2.41 acres) No access or flow line surveyed	400 ft X 450 ft = 180,000 (4.13 acres)
29-22	300 ft X 350 ft = 105,000 (2.41 acres)	400 ft X 450 ft = 180,000 (4.13 acres)
	Access & flow line = 900 ft	900 ft X 125 ft = 112,500 (2.58 acres)

Note: The figures for access route and flow line lengths are only for the portions that cross undisturbed areas. Portions that follow maintained roads or existing flow line routes were not surveyed and those figures are not provided here.

TABLE 4

Description of Water Injection Pipeline Project Length and Area Surveyed

Line	Project Length	Area Surveyed (square feet)
Main	18,500 feet	18,500 ft X 50 ft = 925,000 (21.23 acres)
A .	1,250 feet	1,250 ft X 50 ft = 62,500 (1.43 acres)
В	6,900 feet	6,900 ft X 50 ft = 345,000 (7.92 acres)
С	1,400 feet	1,400 ft X 50 ft = 70,000 (1.61 acres)
D	3,250 feet	3,250 ft X 50 ft = 162,500 (3.73 acres)
E	5,500 feet	5,500 ft X 50 ft = 275,000 (6.31 acres)
F	3,850 feet	3,850 ft X 50 ft = 192,500 (4.42 acres)
F-1	1,500 feet	1,500 ft X 50 ft = 75,000 (1.72 acres)
G	1,700 feet	1,700 ft X 50 ft = 85,000 (1.95 acres)
н	1,500 feet	1,500 ft X 50 ft = 75,000 (1.72 acres)
I	1,700 feet	1,700 ft X 50 ft = 85,000 (1.95 acres)
J	300 feet	300 ft X 50 ft = 15,000 (0.34 acres)
Line runorth for 24-31		750 ft X 50 ft = 37,500 (0.86 acres)
Line ru east fr 24-42		Not surveyed, entirely within existing well pad location

RESULTS

One archaeological site and 17 isolated finds were encountered during the survey. The archaeological site, a Basketmaker II to Pueblo I lithic scatter (SJC-1106) had been previously recorded by San Juan College Cultural Resources Management Program (see appendix for site The site had been located during the description). survey of a proposed access route to Phillips Oil Company's proposed well location # 18-24, and relocated during the survey of the Phillips Oil Company proposed injection line pipeline. The site was encountered at the junction of the mainline and line J (Figure 4).

The injection line crosses through the extreme southwest portion of the site, where it has been disturbed by previous pipeline and road construction. Four pieces of lithic debitage were encountered in the pipeline . right-of-way outside of the disturbed area. These artifacts appear to be surficial. Resurvey of the site area found artifact concentrations to occur in the existing roadway and bladed pipeline valve area. Approximately 20 pieces of lithic debitage, one biface, one uniface (chopper), and two unidentified Mesa Verde white ware sherds (7 mm thick with sand temper) were noted during the resurvey. Note: the projectile point fragments were not relocated. The integrity of these deposits has been greatly disturbed by blading activities. Despite the disturbed nature of the site, the potential for buried deposits remains. Also, there is good probability that the site is multicomponent due to the presence of the Archaic diagnostic and the relatively late Puebloan white ware ceramics.

> Two alternatives are proposed for this 100 meter section of the pipeline: (1) to build the injection line where proposed with an archaeologist monitoring the construction activities, or (2) to reroute the mainline in order to avoid the site area. This alternative would require an archaeologist to survey the new route.

> The remaining cultural materials were isolated finds. A total of 17 isolated finds were encountered during the survey. All are surficial occurrences and are described in Table 5.




Figure 4. Map showing relationship of proposed injection line route and archaeological site - SJC-1106. Site Location: Center of E 1/2, W 1/2, SW 1/2 of Section 18, T 41 S - R 24 E, San Juan County, Utah.

TABLE 5

- Isolated Finds from Phillips Oil Rutherford Unit Project . Legal Locations and Descriptions

Number	Legal Location	Description
RU # A	CTSESW Sec.12 T41S R23E UTM: 647,000 m E 4,121,825 m N	On location 12-W24. Isolated features: semi-circular, slab feature and two slab piles; a broken cup saucer found insidewhite ovenware, modern; unidentified pipe fragments, wire and sole of shoe.
RÚ # B	CTNENW Sec.13 T41S R23E UTM: 647,000 m E 4,121,400 m N	13-21. 3 gray-green chert, interior core reduction flakes.
RU # C	CTNWNW Sec.13 T41S R23E UTM: 646,600 m E 4,121,950 m N	13-11. Gray and red quartzite cobble tool; 3 flakes removed.
RU # D	CTNWSW Sec.13 T41S R23E UTM: 647,000 m E 4,120,600 m N	*13-23. Biface with crude, heavily weathered flake scars, material type is light and dark gray mottled chert with tan cortex.
RU # E	NWSWSE Sec.13 T41S R23E UTM: 647,690 m E 4,120,400 m N	Access road to 13-34. 4 unidentified corrugated sherds; 4 recent Pepsi bottles.
RU # F	CTSWSE Sec.13 T41S R23E UTM: 647,700 m E 4,120,200 m N	*13-43. 1 crude olive-green oolitic chert biface.
RU # G	NENENE Sec.14 T41S R23E UTM: 646,250 m E 4,121,950 m N	1 Mesa Verde white ware sherd.
RU # H	NENWNW Sec.13 T41S R23E UTM: 646,775 m E 4,121,550 m N	*Injection line 12-24 to 13-11. 1 grainy, tan to yellow chert uniface with heavily weathered, yellowish patina; flake scars are smooth.
RU # I	NWNWNE Sec.18 T41S R24I UTM: 648,950 m E 4,121,325 m N	18-21 to 18-41. 3 green quartzite interior core reduction flakes.

TABLE 5, continued

Number	Legal Location	Description
RU # J	NWSESE Sec.18 T41S R24E UTM: 649,300 m E 4,120,150 m N	18-44 to 18-34. 1 gray-tan quartzite, utilized, secondary reduction flake; 1 green quartzite secondary reduction flake.
RU # K	NESWSW Sec.18 T41S R24E UTM: 648,450 m E 4,120,175 m N	18-34 to 18-14. I white quartzite, tertiary reduction flake; I green-gray quartzite, tertiary reduction flake.
RU # L	NWSWSE Sec.17 T41S R24E UTM: 650,400 m E 4,120,100 m N	17-14 to 17-44. 2 white chert, inter- ior core reduction flakes.
RU # M	SWNWSW Sec.18 T41S R24E UTM: 648,200 m E 4,120,350 m N	18-13 to 18-14. 4 gray quartzite, secondary reduction flakes.
RU#N	NWSESE Sec.13 T41S R23E UTM: 647,700 m E 4,120,350 m N	13-33 to 13-44. 3 gray-green quartzite, interior core reduction flakes; 1 secondary reduction flake.
RU # O	SESENW Sec.13 T41S R23E UTM: 647,025 m E 4,121,000 m N	*13-22 to 13-33. 1 green chert uniface with brown patina; 1 tan quartzite, tertiary reduction flake.
RU # P	SWSESE Sec.12 T41S R23E UTM: 647,700 m E 4,121,725 m N	*13-31 to 12-44. 1 green-gray quartzite uniface.
RU # Q	NESESE Sec.13 T41S R23E UTM: 647,075 m E 4,121,100 m N	*13-22 to 13-31. 1 gray quartzite uniface with tan to brown patina.

^{*} illustrated isolated finds.

note: all UTM coordinates are in zone 12.




Figure 5. Flaked Stone Tools

GREEN CHERT Uniface IF FO

Figure 6. Flaked Stone Tool




Figure 7. Flaked Stone Tool




Figure 8. Flaked Stone Tool

RECOMMENDATIONS

SEEATTACHMENT One potentially significant archaeological site was encountered during the survey. As outlined in section "Results", the 100 meters of injection line (the mainline) west of line J can either be constructed as planned or rerouted. If the line is positioned as proposed, an archaeologist should be present to monitor construction of the 100 meters of mainline injection pipeline, extending east from line J. In the event that buried cultural deposits are encountered, construction should stop and the BIA area archaeologist be notified. The other alternative would be to reroute a portion of the mainline in order to avoid the site. An archaeological clearance would be needed if a new route is proposed. - New Loute HAS BEEN SURVEE

The remaining cultural resources encountered during the survey were isolated finds which indicate prehistoric and modern use of the area. Most of these are the waste products from flint knapping activities. Several unifacial tools and one biface were also found. Recordation has exhausted the research potential of these isolated finds. Archaeological clearance is recommended for the proposed Rutherford Unit development project well locations, associated access roads and flow lines, and for the proposed injection line routes: mainline and lines A, B, C, D, E, F, F-1, G, H, I, and J, except for the 100 meter of mainline extnding east from its junction with line J.

REFERENCES CITED

- Hewett, Nancy S., Margaret A. Powers, and Meade F. Kemrer

 1979 An Archaeological Survey and Evaluation of

 Cultural Resources Along the San Juan River

 Near Aneth, Utah. Division of Conservation

 Archaeology, San Juan County Archaeological
 Research Center and Library. Farmington,
 New Mexico.
- Hintze, Lehi F. and William Lee Stokes

 1964 Geologic Map of Southeastern Utah. Williams
 and Heintze Map Corporation, Washington D.C.
- Langenfeld, Kristin

 1984 Archaeological Surveys of Six Proposed Well

 Locations and Associated Flow Lines and Access
 Routes in San Juan County, Utah, Conducted
 for Phillips Petroleum Company. Cultural
 Resources Management Program, San Juan College.
 Farmington, New Mexico.
- Langenfeld, Kristin and L. Jean Hooton

 1984 Archaeological Surveys of Thirteen Proposed

 Well Locations and Associated Flow Lines and

 Access Routes in San Juan County, Utah, Conducted

 for Phillips Petroleum. Cultural Resources

 Management Program, San Juan College. Farmington, New Mexico.
- Moore, Roger A.

 1983 An Archaeological Survey of Two Well Locations
 and Access Routes Near Aneth, Utah. Division
 of Conservation Archaeology, San Juan County
 Museum Association. Farmington, New Mexico.
 - 1984 An Archaeological Survey of 15 Drill Locations in the White Mesa Unit South of Montezuma Creek in San Juan County, Utah. Division of Conservation Archaeology, San Juan County Museum Association. Farmington, New Mexico.
- Nickens, Paul R.

 1982 "A Summary of the Prehistory of Southeastern
 Utah", IN Contributions to the Prehistory
 of Southeastern Utah. Assembled by Steven
 G. Baker. Centuries Research Inc. Utah State
 Office, Bureau of Land Management, Cultural
 Resource Series, No. 13.

OPERATOR Phillips Oil Co	DATE /-/5-85
WELL NAME Latherford Unit #12-34	
SEC SWSE 12 T 4/5 R 23E COUNTY	San Juan
	lean OF LEASE
CHECK OFF:	
PLAT	NEAREST WELL
LEASE	POTASH OR OIL SHALE
PROCESSING COMMENTS:	
Treed water grant	
•	
APPROVAL LETTER:	
SPACING: A-3 Ratherford C-3-a	CAUSE NO. & DATE
c-3-c	
STIPULATIONS: 1-Water	
	·



Scott M. Matheson, Governor Temple A. Reynolds, Executive Director Dianne R. Nielson, Ph.D., Division Director

4241 State Office Building • Salt Lake City, UT 84114 • 801-533-5771

January 17, 1985

Phillips Oil Company P. O. Box 2920 Casper. Wyoming 82602

Gentlemen:

Re: Well No. Ratherford Unit #12-34 - SW SE Sec. 12, T. 41S, R. 23E 675' FSL, 1905' FEL - San Juan County, Utah

Approval to drill the above referenced oil well is hereby granted in accordance with Section 40-6-18, Utah Code Annotated, as amended 1983; and predicated on Rule A-3, General Rules and Regulations and Rules of Practice and Procedure, subject to the following stipulations:

 Prior to commencement of drilling, receipt by the Division of evidence providing assurance of an adequate and approved supply of water.

In addition, the following actions are necessary to fully comply with this approval:

- Spudding notification to the Division within 24 hours after drilling operations commence.
- Submittal to the Division of completed Form OGC-8-X, Report of Water Encountered During Drilling.
- Prompt notification to the Division should you determine that it is necessary to plug and abandon this well. Notify John R. Baza, Petroleum Engineer, (Office) (801) 538-5340, (Home) 298-7695 or R. J. Firth, Associate Director, (Home) 571-6068.
- 4. Compliance with the requirements and regulations of Rule C-27, Associated Gas Flaring, General Rules and Regulations, Oil and Gas Conservation.

Phillips Oil Company Well No. Ratherford Unit #12-34 January 17, 1985 Page 2

5. This approval shall expire one (1) year after date of issuance unless substantial and continuous operation is underway or an application for an extension is made prior to the approval expiration date.

The API number assigned to this well is 43-037-31126.

Sincerely,

Associate Director, Oil & Gas

as Enclosures

cc: Branch of Fluid Minerals
Bureau of Indian Affairs

DIVISION OF OIL, GAS AND MINING

NAME OF COMPANY: PHILLIPS OIL	
WELL NAME: RATHERFORD U	NIT 12-34
SECTION SW SE 12 TOWNSHIP 415	RANGE 23E COUNTY San Juan
DRILLING CONTRACTOR Four Corners	
RIG #4	
SPUDDED: DATE 7-1-85	
TIME 3:00 PM (Approx.)	
How Rotary	
DRILLING WILL COMMENCE	
REPORTED BY David Jones	
TELEPHONE # 651-3479	·
DATE 7-1-85	SIGNED AS

SPUDDING INFORMATION API #43-037-31126

1 - Casper 1 - File (RC) 1 - J. Weichbrodt Form Approved. Budget Bureau No. 42-R1424

5. LEASE

14-20-603-246-A

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SURVEY

GEOLOGICAL SU	JRVEY	6. IFINDIAN, ALLOTTEE OR TRIBE NAME Navajo
SUNDRY NOTICES AND RE		7. UNIT AGREEMENT NAME SW-I-4192
(Do not use this form for proposals to drill or to reservoir, Use Form 9-331-C for such proposals.)	JUL 1 1 1985	8. FARM OR LEASE NAME Ratherford Unit
1. oil gas		9. WELL NO.
2. NAME OF OPERATOR Phillips Oil Company	DIVISION OF OIL GAS & MINING	#12-34 10. FIELD OR WILDCAT NAME
3. ADDRESS OF OPERATOR 8055 E. Tufts Ave., Denve	r, CO 80237	Greater Aneth 11. SEC., T., R., M., OR BLK. AND SURVEY O
4. LOCATION OF WELL (REPORT LOCAT	ION CLEARLY. See space 17	AREA
below.) AT SURFACE: 675' FSL, 1905'	FFI	Sec. 12-T41S-R23E 12. COUNTY OR PARISH 13. STATE
AT TOP PROD. INTERVAL:	1 66	San Juan Utah
AT TOTAL DEPTH:		14. API NO.
16. CHECK APPROPRIATE BOX TO IND	CATE NATURE OF NOTICE,	43-037-31126
REPORT, OR OTHER DATA		15. ELEVATIONS (SHOW DF, KDB, AND WD 4665' ung. G.L.
REQUEST FOR APPROVAL TO: SU TEST WATER SHUT-OFF FRACTURE TREAT SHOOT OR ACIDIZE REPAIR WELL PULL OR ALTER CASING MULTIPLE COMPLETE CHANGE ZONES ABANDON* (other)	BSEQUENT REPORT OF:	(NOTE: Report results of multiple completion or zon change on Form 9–330.)
T DECORUPE BRODOCED OR COMPLET	ED OPERATIONS (OLD A	
including estimated date of starting a measured and true vertical depths for	ny proposed work. If well is di	 all pertinent details, and give pertinent dates rectionally drilled, give subsurface locations and t to this work.)*
48# K-55 & H-40 ST&C casi	ng. Set at 124.6', (5-30-85. Ran 124.65' 13-3/8" cemented with 177 cu.ft. (150 sx ut rat hole driller 5-30-85.
Dan 0_5/8" 36# K-55 T&C	casing, set at 1580 acel D; tailed with	Drilled 12-1/4" hole to 1580' .1'. Cemented with 726 cu.ft. 354 cu.ft. (300 sx) Class G.
Subsurface Safety Valve: Manu. and Type _		Set @ F1
18. I hereby certify that the foregoing is tru	e and correct	
SIGNED Sualle Bur.	TITLE <u>Drilling Mana</u>	ger DATE July 8, 1985
	(This space for Federal or State offi	ce use)
APPROVED BY	TITLE	DATE
CONDITIONS OF APPROVAL, IF ANY:		
	1 - Chevron USA, In1 - Mobil Oil Corp.	. .
2 - Utah L&GCC, SLC 1 - Casper	1 - Texaco, Inc.	

*See Instructions on Reverse Side

1 - Shell Oil Co.

5. LEASE 14-20-603-246-A

UNITED STATES DEPARTMENT OF THE INTERIOR GEOLOGICAL SUBVEY

GEOLOGICAL SURVEY	6.	IF INDIAN, ALLOTTEE OR TRIBE NAME Navajo
SUNDRY NOTICES AND REPORTS ON WELLS (Do not use this form for proposals to drill or to deepen or plug back to a different reservoir. Use Form 9–331–C for such proposals.)	7.	UNIT AGREEMENT NAME SW-I-4192
1 oil goe —	8.	FARM OR LEASE NAME Ratherford Unit
1. oil gas well other	9.	WELL NO. #12-34
2. NAME OF OPERATOR Phillips Oil Company	10.	FIELD OR WILDCAT NAME Greater Aneth
3. ADDRESS OF OPERATOR 8055 E. Tufts Ave., Denver, CO 80237	11.	SEC., T., R., M., OR BLK. AND SURVEY OR
4. LOCATION OF WELL (REPORT LOCATION CLEARLY. See space 17 below.)		AREA Sec. 12-T41S-R23E
AT SURFACE: 675' FSL, 1905' FEL AT TOP PROD. INTERVAL: AT TOTAL DEPTH:	12.	COUNTY OR PARISH 13. STATE San Juan Utah
16. CHECK APPROPRIATE BOX TO INDICATE NATURE OF NOTICE,	14.	API NO. 43-037-31126
REPORT, OR OTHER DATA	15.	ELEVATIONS (SHOW DF, KDB, AND WD) 4665' ung. G.L.
REQUEST FOR APPROVAL TO: SUBSEQUENT REPORT OF: ' TEST WATER SHUT-OFF FRACTURE TREAT		
SHOOT OR ACIDIZE	(N	OTE: Report results of multiple completion or zone change on Form 9–330.)
(other)		
17. DESCRIBE PROPOSED OR COMPLETED OPERATIONS (Clearly state including estimated date of starting any proposed work. If well is di measured and true vertical depths for all markers and zones pertinen.	all prection	pertinent details, and give pertinent dates, nally drilled, give subsurface locations and its work.)*
Drilled 8-3/4" hole to 5505'. Ran 5505' 7" 23st cemented with 1144 cu.ft. (400 sx) Class B w/20 (300 sx) Class "B" w/18% salt. Pressure tested complete 7-14-85. "Plug back total depth 5478'.	# & D% D d ca	26# K-55 & S-95 LT&C casing; iacel D. Tailed with 360 cu.fr
RECEIVED		
JUL 1 9 1985		
division of oil. Gas & mining		
Subsurface Safety Valve: Manu. and Type		Set @ Ft.
18. I hereby certify that the foregoing is true and correct		
SIGNED THE Drilling Manage	jer	DATEJuly 16, 1985
(This space for Federal or State office	ce use)	
APPROVED BY TITLE CONDITIONS OF APPROVAL, IF ANY:		DATE
6 - BLM, Farmington, NM 1 - Chevron USA, Inc. 2 - Utah O&GCC, SLC 1 - Mobile Oil Corp. 1 - Capser 1 - Texaco		
1 - File (RC) 1 - J. Weichbrodt 1 - Shell Oil Co.	ide	

Form 3160-4 (November 1983)

SUBMIT IN DUMATE.

Form approved.	
Budget Bureau No. 1 Expires August 31, 1	
	*

			SIAIES			rf In-	s August 31, 1985
			F THE INT		reverse i	side) 5 LEARE DE	BIGNATION AND SERIAL NO.
	BUF	REAU OF LAI	ND MANAGEMEN	Y I	Ü)-603-246-A
WELL COA	API ETION	OR RECO	MPLETION R	EPORT AN	ID LOG	•	ALLOTTEE OR TRIBE NAME
IN TYPE OF WELL						— Navaj	O MENT NAME
	# E1	L XX WELL	_ DRY L	Other			
NEW XX	WORK TO DES	PIPE DACK	DIFF.	O. b		S. FARM OR	_ · - · - _
WKII. LAX 2. NAME OF OPERATO		BACK L	REMVE	Other			erford Unit
Phillips Pe		'omn an v				9. WELL NO.	
3. ADDRESS OF UPER		Юшрану				₁₂₋	-34
P. O. Box 2		er. Wyomin	g 82602	RECEL	VED	10. FIELD AN	ID POOL, OR WILDCAT
4. LOCATION OF WELL	L (Report location	on clearly and in	accordance with an	State requireme	nta)*	Great	ter Aneth
At surface 67!	5' FSL & 1	905' FEL,	SW SE		1005	11. SEC., T., OR AREA	R., M., OR BLOCK AND BURVEY
At top prod. inte	rval reported be	low		SEP 27	1982		1
• -	-					Sec.	12-T41S-R23E
At total depth			14. PERMIT NO.	DIVISION	<u>uf Oli</u>	12. COUNTY	OR 13. STATE
	_	V	14. PERMIT NO.	GAS & M	INING	PARISH	l <u>-</u>
API #43-03	7-31126		TE COMPL. (Ready to	/-	ノソーズこう	San .	19. ELEV. CASINGHEAD
l l	7/12/8	1	8/14/85	GR	4665', RI	KB 4677'	
7/1/85		IG. BACK T.D., MD 4		TIPLE COMPL.,	23. INTERV	ALS ROTARY TOO	LS CABLE TOOLS
5505		5480'	нож и		DRILLE	. I 0 - 550	5'
24. PRODUCING INTER	VAL(8), OF THIS		P. BOTTOM, NAME ()	4D AND TVD)*			25. WAS DIRECTIONAL SURVEY MADE
	·						No
5409 ' - 54	65' Desei	rt Creek Zo	one I				NO
6. TIPE BLECTRIC A				and the second s			27. WAS WELL CORED
GBL-GR-CCL	CDL-DSN	Contact C	Caliper, Dual	l Guard For	XQ		No
9.		i	SING RECORD (Rep				
CASINO SIZE	WEIGHT, LB.	/FT. DEPTH S		LE SIZE		NTING RECORD	AMOUNT PULLED
13-3/8"	48#			7-1/2"	177 cu.f	t. Class "B"	
9-5/8"	36#			2-1/4" 1		t. Class "B"	
711				2//11	504 cu.f	E. LIASS D	
7"	23# & 20	<u>6# 55</u>	505'	3-3/4" 1		0. 01000 0	
				3-3/4" 1			ORD
29.	23# & 20	LINER RECOR	D	3-3/4" 1	30. SIZE	TUBING REC	
					30.	TUBING REC	
29.	23# & 20	LINER RECOR	D		30. SIZE	TUBING REC	
29.	23# & 20	LINER RECOR	D	SCREEN (MD)	30. size 2-7/8	TUBING REC	(D) PACKER SET (MD)
29. 8128 31. PERFORATION REC 5409-5417',	23# & 20 TOP (MD) CORD (Interval, a., 2 SPF, 4)	LINER RECORD BOTTOM (MD) Hise and number) Gun, 16 s	BACKS CEMENT*	SCREEN (MD)	30. SIZE 2-7/8 ACID. SHOT. 1	TUBING REC DEPTH SET (8 5275 FRACTURE, CEMEN	(D) PACKER SET (MD)
31. PERPORATION REC 5409-5417', 5420-5422',	23# & 20 TOP (MD)	LINER RECORD SOTTOM (MD) Ger and number) Gun, 16 s Gun, 4 s	BACKS CEMENT* Shots	SCREEN (MD)	30. 81ZE 2-7/8 ACID. SHOT. 1 (MD) 51	TUBING REC PEPTH SET (A 5275 FRACTURE, CEMEN AMOUNT AND BU Acidized ea	T SQUEEZE, ETC. RD OF MATERIAL USED ft of perfs w/50
29. 8128 31. PERFORATION REC 5409-5417',	23# & 20 TOP (MD)	LINER RECORD SOTTOM (MD) Ger and number) Gun, 16 s Gun, 4 s	BACKS CEMENT* Shots	32. DEPTH INTERV 5409-5465 gal 28% a	30. 812E 2-7/8 ACID. SHOT. 1 7AL (MD) 5' -	TUBING REC PEPTH SET (N 5275 FRACTURE, CEMEN AMOUNT AND EN ACIDIZED ea idized w/520	T SQUEEZE, ETC. HD OF MATERIAL USED ft of perfs w/50 0 gal 28% HCL w/
31. PERPORATION REC 5409-5417', 5420-5422',	23# & 20 TOP (MD)	LINER RECORD SOTTOM (MD) Ger and number) Gun, 16 s Gun, 4 s	BACKS CEMENT* Shots	32. DEPTH INTER 5409-5465 gal 28% at 2 gal/100	30. 812E 2-7/8 ACID. SHOT. I VAL (MD) 5' - acid. Ac 00 F-801,	TUBING REC DEPTH SET (N 5275' FRACTURE CEMEN AMOUNT AND EN Acidized ea idized w/520 3 gal/1000	T SQUEEZE, ETC. HD OF MATERIAL USED ft of perfs w/50 0 gal 28% HCL w/ W-802, 1 gal/1000
31. PERPORATION REC 5409-5417', 5420-5422',	23# & 20 TOP (MD)	LINER RECORD SOTTOM (MD) Ger and number) Gun, 16 s Gun, 4 s	Shots Shots Shots	32. DEPTH INTER 5409-5465 gal 28% a 2 gal/100 A-250 & 6	30. SIZE 2-7/8 ACID. SHOT. 1 VAL (MD) 5' - acid. Ac 00 F-801, 5 ga1/100	TUBING REC DEPTH ABT (A 5275 FRACTURE CEMEN AMOUNT AND EII Acidized ea idized w/520 3 gal/1000 0 U-42. Drop	T SQUEEZE ETC. HD OF MITERIAL USED ft of perfs w/50 0 gal 28% HCL w/ W-802, 1 gal/1000 ped 135, 1.2 sp.g
31. PERPORATION REC 5409-5417', 5420-5422', 5426-5465',	TOP (MD)	LINER RECORD SOTTOM (MD) Gun, 16 s Gun, 4 s Gun, 78 s	BACKS CEMENT* Shots Shots Shots	SCREEN (ND)	30. SIZE 2-7/8 ACID. SHOT. 1 AL (MD) 5' - acid. Ac 00 F-801, 6 ga1/100	TUBING REC DEPTH ABT (A 5275 FRACTURE, CEMEN AMOUNT AND EH Acidized ea idized w/520 3 gal/1000 0 U-42. Drop Continued o	T SQUEEZE ETC. HD OF MATERIAL USED ft of perfs w/50 0 gal 28% HCL w/ W-802, 1 gal/1000 ped 135, 1.2 sp.g n Back -
31. PERFORATION REC 5409-5417', 5420-5422', 5426-5465',	23# & 20 TOF (MD) CORD (Interval, a, 2 SPF, 4, 2 SPF, 4, 2 SPF, 4, 4, 2 SPF, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4,	LINER RECORD SOTTOM (MD) See and number) Gun, 16 s Gun, 4 s Gun, 78 s	BACKE CEMENT* Shots Shots Shots Shots (Flowing, gas 1(ft, p	SCREEN (MD)	30. 81ZE 2-7/8 ACID. SHOT. II ACID. SHOT. II Facid. Acid. Acid	TUBING REC DEPTH SET (N 5275 FRACTURE CEMEN AMOUNT AND EN Acidized ea idized w/520 3 gal/1000 0 U-42. Drop Continued o	T SQUEEZE ETC. RD OF MATERIAL USED ft of perfs w/50 0 gal 28% HCL w/ W-802, 1 gal/1000 ped 135, 1.2 sp.g n Back - status (Producing or
31. PERFORATION REC 5409-5417', 5420-5422', 5426-5465', 33.*	TOF (MD) CORD (Interval, a, 2 SPF, 4, 2 SPF	LINER RECORD SOTTOM (MD) See and number) Gun, 16 s Gun, 4 s Gun, 78 s	Shots shots FRO (Flowing, gas lift, p	SCREEN (ND)	30. 81ZE 2-7/8 ACID. SHOT. II ACID. SHOT. II Facid. Acid. Acid	TUBING REC PEPTH SET (8 5275 FRACTURE, CEMEN AMOUNT AND EN Acidized ea idized w/520 3 gal/1000 0 U-42. Drop Continued o	T SQUEEZE, ETC. For of perfs w/50 O gal 28% HCL w/ W-802, 1 gal/1000 ped 135, 1.2 sp.g n Back - STATUS (Producing or usf-in) Producing
31. PERFORATION REC 5409-5417', 5420-5422', 5426-5465', DATE FIRST PRODUCT: 8/14/85 DATE OF THET	23# & 20 TOF (MD) CORD (Interval, a, 2 SPF, 4, 2 SPF, 4, 2 SPF, 4, 4, 2 SPF, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4,	LINER RECORD SOTTOM (MD) See and number) Gun, 16 s Gun, 4 s Gun, 78 s	Shots shots FRO (Flowing, gas lift, p	SCREEN (MD)	30. 812E 2-7/8 ACID. SHOT. 1 ACID	TUBING REC PEPTH SET (8 5275 FRACTURE, CEMEN AMOUNT AND EN Acidized ea idized w/520 3 gal/1000 0 U-42. Drop Continued o	T SQUEEZE, ETC. For of perfs w/50 O gal 28% HCL w/ W-802, 1 gal/1000 ped 135, 1.2 sp.g n Back - STATUS (Producing or usf-in) Producing
31. PERFORATION REC 5409-5417', 5420-5422', 5426-5465', 33.*	TOF (MD) CORD (Interval, a, 2 SPF, 4, 2 SPF, 4, 2 SPF, 4, 4, 2 SPF, 4, 4, 2 SPF, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4, 4,	LINER RECORD SOTTOM (MD) "Gun, 16 s "Gun, 4 s "Gun, 78 s CUCTION METHOD LINE CALCULATE	PRO (Flowing, gas lift, p RHBM 2-1/E PROP'N. FOR TEST PERIOD DOLL—BBL.	SCREEN (MD)	30. SIZE 2-7/8 ACID. SHOT. I ACID. SHOT. I FAL (MD) 5' acid. Ac 00 F-801 5 gal/100 I type of pump ' x 15' GAR-MCF 10	TUBING REC PEPTH SET (8 5275 FRACTURE, CEMEN AMOUNT AND EN ACIDIZED ea idized w/520 3 gal/1000 0 U-42. Drop Continued o WELL AN WATER—BB	T SQUEEZE, ETC. HD OF MATERIAL USED ft of perfs w/50 0 gal 28% HCL w/ W-802, 1 gal/1000 ped 135, 1.2 sp.g n Back - BETATUS (Producing or MI-in) Producing L. GAS-OIL EATIO
31. PERFORATION REC 5409-5417', 5420-5422', 5426-5465', 33.* DATE FIRST PRODUCT: 8/14/85 DATE OF TRET 9/19/85 FLOW. TUBING PRESS.	TOP (MD) TOP (MD) TORD (Interval, a, 2 SPF, 4', 2 SPF, 4', 2 SPF, 4') TON PROPERTY PROPERTY	LINER RECORD SOTION (MD) General number) Gun, 16 s Gun, 4 s Gun, 78 s CHOKE SIZE	PRO (Flowing, gas lift, p RHBM 2-1/E PROP'N. FOR TEST PERIOD DOLL—BBL.	SCREEN (MD)	30. SIZE 2-7/8 ACID. SHOT. I AL (MD) 5' - acid. Ac 00 F-801, 5 ga1/100 Tippe of pump x 15' GAR-MCF 10	TUBING REC DEPTH ABT (A 5275 FRACTURE, CEMEN AMOUNT AND EN ACIDIZED W/520 3 gal/1000 0 U-42. Drop Continued o WATER—BB 0	T SQUEEZE. ETC. HD OF MATERIAL USED ft of perfs w/50 0 gal 28% HCL w/ W-802, 1 gal/1000 ped 135, 1.2 sp.g n Back - BETATUS (Producing or MI-4n) Producing L GAS-OIL EATIO 400
31. PERFORATION REC 5409-5417', 5420-5422', 5426-5465', 33.* PATE FIRST PRODUCT: 8/14/85 DATE OF THET 9/19/85	TOP (MD) TOP (MD) TORD (Interval, a, 2 SPF, 4') 2 SPF, 4' 2 SPF, 4' TON PROPERTY OF THE	LINER RECORD SOTTOM (MD) Size and number) Gun, 16 s Gun, 4 s Gun, 78 s CALCULATE CALCULATE 24-HOUR B.	PROO'N. FOR TEST PERIOD OIL.—BBL. 25	SCREEN (MD)	30. SIZE 2-7/8 ACID. SHOT. I AL (MD) 5' - acid. Ac 00 F-801, 5 ga1/100 Tippe of pump x 15' GAR-MCF 10	TUBING REC DEPTH SET (A 5275 FRACTURE, CEMEN AMOUNT AND RI Acidized ea idized w/520 3 gal/1000 0 U-42. Drop Continued o WATER—BE O WATER—BE.	T SQUEEZE, ETC. HD OF MATERIAL USED ft of perfs w/50 0 gal 28% HCL w/ W-802, 1 gal/1000 ped 135, 1.2 sp.g n Back - BEATUS (Producing or MI-4n) Producing L GAS-OIL BATIO 400 OIL GRAVITY-AFI (CORE.) 40
31. PERFORATION REC 5409-5417', 5420-5422', 5426-5465', 33.° DATE FIRST PRODUCT: 8/14/85 DATE OF TRET 9/19/85 FLOW. TUBING PRESS. 40	TOP (MD) TOP (MD) TORD (Interval, a, 2 SPF, 4') 2 SPF, 4' 2 SPF, 4' TON PROPERTY OF THE	LINER RECORD SOTTOM (MD) Size and number) Gun, 16 s Gun, 4 s Gun, 78 s CALCULATE CALCULATE 24-HOUR B.	PROO'N. FOR TEST PERIOD OIL.—BBL. 25	SCREEN (MD)	30. SIZE 2-7/8 ACID. SHOT. I AL (MD) 5' - acid. Ac 00 F-801, 5 ga1/100 Tippe of pump x 15' GAR-MCF 10	TUBING REC PEPTH SET (8 5275 FRACTURE, CEMEN AMOUNT AND EN ACIDIZED EA idized ea idized w/520 3 gal/1000 0 U-42. Drop Continued o WATER-BB 0 VATER-BBL. 0	T SQUEEZE, ETC. HD OF MATERIAL USED ft of perfs w/50 0 gal 28% HCL w/ W-802, 1 gal/1000 ped 135, 1.2 sp.g n Back - BEATUS (Producing or MI-4n) Producing L GAS-OIL BATIO 400 OIL GRAVITY-AFI (CORE.) 40
31. PERFORATION REC 5409-5417', 5420-5422', 5426-5465', 33.* DATE FIRST PRODUCT: 8/14/85 DATE OF THET 9/19/85 FLOW. TUBING PROS. 40 34. DISPOSITION OF G	TOP (MD) TOP (MD) TOP (MD) TORD (Interval, a, 2 SPF, 4, 3 SPF,	LINER RECORD SOTTOM (MD) Size and number) Gun, 16 s Gun, 4 s Gun, 78 s CALCULATE CALCULATE 24-HOUR B.	PROO'N. FOR TEST PERIOD OIL.—BBL. 25	SCREEN (MD)	30. SIZE 2-7/8 ACID. SHOT. I AL (MD) 5' - acid. Ac 00 F-801, 5 ga1/100 Tippe of pump x 15' GAR-MCF 10	TUBING REC PEPTH SET (8 5275 FRACTURE, CEMEN AMOUNT AND EN ACIDIZED EA idized ea idized w/520 3 gal/1000 0 U-42. Drop Continued o WATER-BB 0 VATER-BBL. 0	T SQUEEZE, ETC. HD OF MATERIAL USED ft of perfs w/50 0 gal 28% HCL w/ W-802, 1 gal/1000 ped 135, 1.2 sp.g n Back - BEATUS (Producing or MI-4n) Producing L GAS-OIL BATIO 400 OIL GRAVITY-AFI (CORE.) 40
31. PERFORATION REC 5409-5417', 5420-5422', 5426-5465', 33.* DATE PIRET PRODUCT: 8/14/85 DATE OF TRET 9/19/85 PLOW. TUBING PRESS. 40 34. DISPOSITION OF G Sold	TOP (MD) TOP (MD) TOP (MD) TORD (Interval, a, 2 SPF, 4', 2 SPF, 4', 2 SPF, 4') TON PROPERTY OF THE PROPERT	LINER RECORD SOTTOM (MD) Size and number) Gun, 16 s Gun, 4 s Gun, 78 s CHOKE SIZE CHOKE SIZE CALCULATE 24-ROUR B. DOT fuel, vented, etc.	PRO (Flowing, gas lift, p RHBM 2-1/E PROP'N. FOR TEST PERIOD OIL.—BBL. ATE 25	SCREEN (MD)	30. 812E 2-7/8 ACID. SHOT. 1 (MD) (5'	TUBING REC DEPTH SET (N 5275 FRACTURE CEMEN AMOUNT AND EN ACIDIZED ea idized w/520 3 gal/1000 0 U-42. Drop Continued o WATER—BB 0 VATER—BB. 0 TEST WITNS	T SQUEEZE, ETC. HD OF MATSHALL USED ft of perfs w/50 0 gal 28% HCL w/ W-802, 1 gal/1000 ped 135, 1.2 sp.g n Back - BETATUS (Producing or HS-4n) Producing L. GAS-OIL BATIO 400 OIL GRAVITY-AFI (CORE.) 40

Area Manager

TOP	TRUE TRUE VERT. DEPTH					
	MEAS, DEPTH	TOPS	2235' 2545' 4423' 2one I 5405'			
	NAME	T00	Shinarump DeChelly Hermosa Ismay Desert Creek Z	,		
DESCRIPTION, CONTENTS, ETC.		action. Displaced w/42 bbls lease wtr.			y, UT Rock, AZ Berk, Denver i, Denver	
BOTTOM		inued - psi w/ball			1: Sec CC, Salt Lake City, UT avajo Nation, Window Rock, AZ lng, B'Ville Williamson r) G. W. Berk, Den Carten r) P. Bertuzzi, Denver Lindemool, Denver Lindemool, Cortez Cchbrodt, Cortez	
TOP		Max Press 190 psi			EWEJ N. Wej C. B.	
FORMATION		#32. ACID			Distribut 4 - BLN 2 - 072 1 - The 1 - L. 1 - L. 1 - J. 1 - J. 1 - J.	

Mobil Oil Corporation

P.O. BOX 5444 DENVER, COLORADO 80217-5444

May 14, 1986

Utah Board of Oil, Gas and Mining
355 West North Temple
3 Triad Center, Suite 350
Salt Lake City, Utah 84180-1203

Attn: R. J. Firth

Associate Director



DIVISION OF OIL. GAS & MINING

SUPERIOR OIL COMPANY MERGER

Dear Mr. Firth:

On September 20, 1984, The Superior Oil Company (Superior) became a wholly owned subsidiary of Mobil Corporation. Since January 1, 1985, Mobil Oil Corporation (MOC), another wholly owned subsidiary of Mobil Corporation, has acted as agent for Superior and has operated the Superior-owned properties.

On April 24, 1986, Superior was merged with Mobil Exploration and Producing North America Inc. (MEPNA), which is also a wholly cwned subsidiary of Mobil Corporation. MEPNA is the surviving company of the merger.

This letter is to advise you that all properties held in the name of Superior will now be held in the name of MEPNA; and that these properties will continue to be operated by MOC as agent for MEPNA.

Attached is a listing of all wells and a separate listing of injection-disposal wells, Designation of Agent and an organization chart illustrating the relationships of the various companies. If you have any questions or require additional documentation of this merger, please feel free to contact me at the above address or (303) 298-2577.

Very truly yours,

R. D. Baker

Environmental Regulatory Manager

CNE/rd CNE8661

3

Form 3160-5

UNITED STATES DEPARTMENT OF THE INTERIOR

Budget Bureau No. 1004-0135 (June 1990) Expires: March 31, 1993 BUREAU OF LAND MANAGEMENT 5. Lease Designation and Serial No. 14-20-603-246 SUNDRY NOTICES AND REPORTS ON WELLS 6. If Indian, Allottee or Tribe Name Do not use this form for proposals to drill or to deepen or reentry to a different reservoir. Use "APPLICATION FOR PERMIT-" for such proposats Navajo Tribal 7. If Unit or CA, Agreement Designation SUBMIT IN TRIPLICATE Ratherford Unit 1. Type of Well SW-T-4192 Oil Well 8. Well Name and No. Ratherford Unit #12-34 2. Name of Operator ale e Mande 9. API Well No. Phillips Petroleum Company eow 3. Address and Telephone No. 43-037-31126 10. Field and Pool, or Exploratory Area (303) 565-3426 P. O. Box 1150, Cortez, CO 81321 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Greater Aneth 11. County of Parish, State 675' FSL & 1905' FEL, Sec. 12-T41S-R23E San Juan County, Utah CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 12 TYPE OF ACTION TYPE OF SUBMISSION Change of Plans Notice of Intent Abandonment Recompletion **New Construction** X Subsequent Report Non-Routine Fracturing Plugging Back Water Shut-Off Casing Repair Conversion to Injection Final Abandonment Notice Altering Casing Other Acid Clean-Un Dispose Water (Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form) 13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)* September 13, 1990 Through September 20, 1990 MI & RU well service unit 9/13/90. COOH w/rods & pump. ND wellhead, NU BOP. COOH w/tbg. GIH w/bit & csg scraper & cleaned out well to PBTD 5480'. GIH w/7" RTTS type pkr & 38 stds 2-7/8" tbg. Set tailpipe at 5470'. Pmpd 250 gals 15% HCL acid, displaced w/ 25 bbls wtr. Set pkr at 5100', tailpipe at 5313'. Acidized perfs (5409-5465') w/ 4750 gals 15% HCL acid w/MSR 100 additives in three stages. Shut well in one hr. ISIP O psi. Swbd load, COOH w/tbg & RTTS type pkr. GIH w/production equipment. ND BOP, set anchor, NU wellhead. Ran pump & rods, RD & MO well service unit, and returned well to producing status 9/20/90. Test Prior to Acid Clean-up - 9 BOPD, 22 BWPD, 2 MCFGPD Test After Acid Clean-up - 28 BOPD, 30 BWPD, 6 MCFGPD Distribution 1 - S. H. Oden 1 - Chevron 5 - BLM, Farmington 1 - PPCO, Houston 2 - Utah O&GCC 1 - P. J. Konkel 1 - PPCO, Cortez, RC 1 - EPA, Denver 1 - Chieftain 1 - N. Anstine 1 - Mobil Oil 1 - V. S. Shaw - Texaco, Inc. 14. I hereby certify that the foregoing is true and correct 10/9/90 S. H. Oden District Superintendent (This space for Federal or State office use)

FORM APPROVED

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Form 3160-5 (June 1990)

NITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FOR	
Budget But	
Expires:	
S. Laura Davis	

FORM	(APPR	OVED
Budget Buri	cau No.	1004-0135
Expires:	March	31, 1993

Designation and Serial No.

-				-	
14-	20-603	3-2	46		

Do not use this form for proposals to C Use "APPLICATION FO	6. If ladian, Allottee or Tribe Name Navajo Tribal					
SUBMI	7. If Unit or CA, Agreement Designation Ratherford Unit					
1. Type of Well	SW-I-4192					
XX Well Well Other	☑ Oil ☐ Gas ☐ Other					
2. Name of Operator	Ratherford Unit #12-34					
Phillips Petroleum Company	9. API Well No.					
3. Address and Telephone No	43-037-31/26					
5525 Hwy 64 NBU 3004, Farmin	10. Field and Pool, or Exploratory Area					
4. Location of Well (Footage, Sec., T., R., M., or Survey I	Description)	Greater Aneth				
SW/SE Sec. 12, T41S, R23E		11. County or Parish, State				
675' FSL & 1905' FEL	San Juan, Utah					
12. CHECK APPROPRIATE BOX	(s) TO INDICATE NATURE OF NOTICE, REPOR	RT, OR OTHER DATA				
TYPE OF SUBMISSION						
Notice of Intent	Abandonment	Change of Plans				
	Recompletion	New Construction				
X Subsequent Report	Non-Routine Fracturing					

13. Describe Proposed or Completed Operations (Clearly state all pertinent details, and give pertunent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

Casing Repair

March 2 thru March 11, 1992

Final Abandonment Notice

MI & RU well service unit 3/2/92. COOH w/rods & pump. ND wellhead, NU BOP. GIH w/bit & scraper. TIH to 5474'. COOH w/bit and scraper. Hydrotested workstring to 7900 psi. Set 7" Arrow pkr @ 5299'. Filled csg annulus w/brine water & tested to 500 psi - okay. Pressure tested lines to 8254 psi - okay. Fraced w/32,000 gals. gelled water w/48,000# of 20/40 sand. ISIP 4226 psi, 5 min. 1826 psi, 10 min. 1224 psi, 15 min. 741 psi.. Swabbed back load. COOH w/pkr. Cleaned out to PBTD. Ran production equipment. Swabbed. ND BOP, NU wellhead. Ran pump and rods. RD and MO well service unit and returned to production on 3/11/92.

MAR 2 5 1992

→ Water Shut-Off

Conversion to Injection Dispose Water

(Note: Report results of multiple completion on Well Completion or Recompletion Report and Log form)

DIVISION OF OIL GAS & MINING

(This space for Federal or State office use) Approved by Conditions of approval, if any:	Title	Date	
14. I hereby certify that the foregoing is true and correct Signed & F. ROBINSON	Tide Sr. Drlg. & Prod. Engr.	Dest	3-20-92

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:

P J KONKEL

AUG 1 6 1993

REPORT PERIOD (MONTH/YEAR)

PHILLIPS PETROLEUM COMPANY 5525 HWY 64 NBU 3004 FARMINGTON NM 87401

DIVISION OF

OIL, GAS & MININGMENDED REPORT [(Highlight Changes)

Well Name	Producing	Well	Days		Production Volumes	
API Number Entity Location	Zone	Status	Oper	OIL(BBL)	GAS(MCF)	WATER(BBL)
#21-23 4303713754 06280 415 24E 21	DSCR	POW	29	1374	883	58
#3-44 4303715031 06280 415 24E 3 #3-14	DSCR	POW	30	111	94	2905
4303715124 06280 41S 24E 3	DSCR	POW	30	67	23	302
#9-12 4303715126 06280 415 24E 9	DSCR	POW	30	112	654	17363
#9-14 4303715127 06280 415 24E 9	DSCR	POW	30	201	315	423
#28-12 4303715336 06280 41S 24E 28	PRDX	POW	29	112	47	2428
#29-12 4303715337 06280 415 24E 29	PRDX	POW	29	56	0	672
#29-32 4303715339 06280 415 24E 29	DSCR	POW	29	1402	287	2224
#29-34 4303715340 06280 41S 24E 29	DSCR	Pow	29	75 7	48	0
#30-32 4303715342 06280 415 24E 30	DSCR	POW	29	588	1049	3744
#3-12 4303715620 06280 41S 24E 3	DSCR	POW	30	268	//	<i>363</i>
#9-34 4303715711 06280 41S 24E 9	DSCR	POW	30	45	46	9800
#10-12 4303715712 06280 418 24E 10	DSCR	POW	30	45	23	1088
			TOTALS	5138	3480	41370

Effective July 1, 1993, Phillips Petroleum Company has sold its interest in the

Ratherford Unit to Mobil Exploration and Producing U.S., Incorporated, P. O. Box

633, Midland, Texas 79702. Mobil assumed operations on July 1, 1993.

I hereby certify that this report is true and complete to the best of my knowledge. Date: 8/11/93


PAT KONKEL

Telephone Number: 505 599-3452

STATE OF UTAH DIVISION OF OIL, GAS AND MINING

		S. LEASE DESIGNA	TION & SERIAL NO.
SUNDRY NOTICES AND REPO (Do not use this form for proposals to drill or to deepen Use "APPLICATION FOR PERMIT-	or plug back to a different reservoir.	NAVAJO TRIB	TTEE OR TRIBE MAN
OIL GAS G		1. UNIT AGREEMEN	TNAME
WELL WELL OTHER	A STATE OF THE PARTY OF THE PAR	RATHERFORD	
MOBIL OIL CORPORATION -		A. FARM OR LEASE	NAME
P. O. BOX 633 MIDLAND, TX 7	79702 SEP 1 3 1893	T. WELL NO.	***
LOCATION OF WELL (Report location clearly and in accordance with an See also space 17 below.) At surface		GREATER A	
At proposed prod. zone	DIVISION OF OIL, GAS & MINING	11. \$EC. T. R. M. C SURVEY O	OR BLK. AND
API NO. 15. ELEVATIONS (Show	wnether DF, RT, GR, etc.)	12 COUNTY	13. STATE
		SAN JUAN	HATU
Check Appropriate Box To In	ndicate Nature of Notice, Report or Ot	her Data	
NOTICE OF INTENTION TO:	Q 3 2 8 U 2	UENT REPORT OF:	
TEST WATER SHUT-OFF FULL OR ALTER CASING	WATER SHUT-OFF	REPAIRI	ING WELL
FRACTURE TREAT MULTIPLE COMPLETE	FRACTURE TREATMENT	ALTERO	NG CASING
SHOOT OR ACIDIZE ABANDON	SHOOTING OR ACIDIZING		NMENT*
(Other)	(Other) CHANGE OF (Note: Report results		
APPROX. DATE WORK WILL START	DATE OF COMPLETION	apleuon Report and l	Log torm.)
AS OF JULY1, 1993, MOBIL OTH CORPO	PRATION IS THE OPERATOR OF	THE RATHERFO	·

WELL #	API#	LEASE #	SEC., T, R	LOCATION OF WELL
01W-13 8	43-037-15838	14-20-603-246A	SEC. 1, T41S, R23E	NW/SW 1980 FSL; 660 FWL
Ó1-14	43-037-31162	14-20-603-246A	SEC. 1, T41S, R23E	SW/SW 660 FSL; 660 FWL
01W-24	43-037-15839	14-20-603-246	SEC. 1, T41S, R23E	SE/SW 651 FSL; 3300 FEL
<u> </u>	43-037-16385	14-20-603-246A	SEC. 1, T41S, R23E	SW/SE 4147 FNL; 1980 FEL
<u> 101W-44</u>	43-037-15840	14-20-603-246A	SEC. 1, T41S, R23E	660 FSL; 661 FEL
	43-037-16386	14-20-603-246A	SEC. 2, T41S, R23E	SE/SE 810 FNL; 5110' FWL
03-14	43-037-15124	14-20-603-5445	SEC. 3, T41S, R24E	660 FSL; 660 FEL
<u> 103-12</u>	43-037-15620	14-20-603-6506	SEC. 3, T41S, R24E	SW/NW 2140 FNL; 660 FWL SW/NE 1980 FNL; 660 FEL
03W-42	43-037-16388	14-20-603-6505	SEC. 3, T41S, R24E	
03-44	43-037-15031	14-20-603-6504	SEC. 3, T41S, R24E	520 FSL; 820 FEL 500 FSL; 600 FEL
04-14	43-037-16163	14-20-603-5446	SEC. 4, T41S, R24E	660 FSL; 1980 FEL
04-34	43-037-16164	14-20-603-4035	SEC. 4, T41S, R24E SEC. 5, T41S, R24E	SW/SE 612 FSL; 1990 FEL
05-34	43-037-15983	14-20-603-368	SEC. 5, T415, R24E	1400 FSL; 990 FEL
05W-43	43-037-16392	14-20-603-368 14-20-603-368	SEC. 6, T415, R24E	SW/SW 660; FSL; 660 FWL
06W-14 06W-23	43-037-15984 43-037-16393	14-20-603-368	SEC. 6, T415, R24E	1830 FSL; 1895 FWL
	43-037-16393	14-20-603-368	SEC. 7, T41S, R24E	NW/NW 660 FNL; 710 FWL
์07-11 ด้วพ-1:ว™	43-037-31163	14-20-603-368	SEC. 7, T415, R24E	SW/NW 2140 FNL; 585 FWL
<u>07,w-12 ±</u> 07-13	43-037-15965	14-20-603-368	SEC. 7, T415, R24E	NW/SW 2110 FSL; 740 FWL
	43-037-31104	14-20-603-368	SEC. 7, T415, R24E	SW/SW 1065 FSL; 660 FWL
	43-037-16394	14-20-603-368	SEC. 7, T41S, R24E	710 FNL; 1820 FWL
07-22	43-037-10354	14-20-603-368	SEC. 7, T41S, R24E	SE/NW 1980 FNL; 1980 FWL
	43-037-15987	14-20-603-368	SEC. 7, T41S, R24E	NE/SW 1980 FSL 1980 FWL
07-24	43-037-31166	14-20-603-368	SEC. 7, T41S, R24E	SE/SW 880 FSL; 2414 FWL
	43-037-15988	14-20-603-368	SEC. 7, T41S, R23E	SW/NE 1980 FNL; 1980 FEL
07-33	43-037-31167	14-20-603-368	SEC. 7, T41S, R24E	NW/SE 2105 FSL; 1876 FEL
	43-037-15989	14-20-603-368	SEC. 7, T41S, R24E	710 FSL; 2003 FEL
	43-037-15990	14-20-603-368	SEC. 7, T41S, R24E	NE/NE 585 FNL; 770 FEL
	43-037-16395	14-20-603-368	SEC. 7, T41S, R24E	2110 FSL; 660 FEL
67-44	43-037-31189	14-20-603-368	SEC. 7, T41S, R24E	SE/SE 737 FSL; 555 FEL
б8-12	43-037-15991	14-20-603-368	SEC. 8, T41S, R24E	SW/NW 1909 FNL; 520 FWL
08W-1471	43-037-159 92	14-20-603-368	SEC. 8, T41S, R24E	745 FSL; 575 FWL
08-21	43-037-15993	14-20-603-368	SEC. 8, T41S, R24E	616 FNL; 1911 FWL
08-23	43-037-15994	14-20-603-368	SEC. 8, T41S, R24E	NE/NW 1920 FSL; 2055 FWL
08-32	43-037-15995	14-20-603-368	SEC. 8, T41S, R24E	SW/NE 1980 FNL; 1980 FEL
08-34	43-037-15996	14-20-603-368	SEC. 8, T41S, R24E	SW/SE 660 FSL; 1980 FEL
08-41	43-037-15997	14-20-603-368	SEC. 8, T41S, R24E	NE/NE 660 FNL; 660 FEL
	43-037-16396	14-20-603-368	SEC. 8, T41S, R24E	1980 FSL; 660 FEL
	43-037-16398	14-20-603-5046	SEC. 9, T41S, R24E	NW/SE 1980 FSL; 1980 FWL
09-12	43-037-15126	14-20-603-5045	SEC. 9, T41S, R24E	1865 FNL; 780 FWL
	43-037-16397	14-20-603-5045	SEC. 9, T41S, R24E	660 FNL; 2080 FWL 710 FSL: 660 FWL
09-14A	43-037-15127	14-20-603-5046	SEC. 9, T41S, R24E	1980 FNL; 1980 FEL
09-32	43-037-16165	14-20-603-4035	SEC. 9, T41S, R24E SEC. 9, T41S, R24E	660 FNL; 660 FEL
09W-41	43-037-16399	14-20-603-4035	SEC. 9, T415, R24E	1980 FSL; 660 FEL
	43-037-16400	14-20-603-4043	SEC. 10, T415, R24E	1980 FSL; 1980 FWL
10W-23	43-037-16402 43-037-15713	14-20-603-4043 14-20-603-4043	SEC. 10, 1415, R24E	510 FSL; 710 FWL
10-14	43-037-15713	14-20-603-4043	SEC. 10, 1413, R24E	660 FWL; 1980 FNL
10W-21	43-037-16401	14-20-603-4043	SEC. 10, T415, R24E	810 FNL; 1980 FWL
10-34	43-037-16166	14-20-603-4037	SEC. 10, T41S, R24E	620 FSL; 1860 FEL
10.34 10W-43	43-037-16100_	14-20-603-4037	SEC. 10, T415, R24E	1980 FSL; 550 FEL
11-41	43-037-31544	14-20-603-246A	SEC. 11, T41S, R23E	NE/NE 860 FNL; 350 FEL
	43-037-15841	14-20-603-246	SEC. 11, T41S, R23E	3290 FNL; 4617 FEL
11-43	43-037-31622	14-20-603-246A	SEC. 11, T41S, R23E	1980 FSL; 660 FEL
11W-44	43-037-15842	14-20-603-246A	SEC. 11, T41S, R23E	SE/SE 660 FSL; 558 FEL
12W-11	43-037-15843	14-20-603-246A	SEC. 12, T41S, R23E	NW/NW 678 FNL; 4620 FEL
12-12	43-037-31190	14-20-603-246A	SEC. 12, T41S, R23E	SW/NW 1850 FNL; 660 FWL
12W-13	43-037-16404	14-20-603-246A	SEC. 12, T41S, R23E	1980 FSL; 4620 FEL
12-14	43-037-15844	NA	SEC. 12, T41S, R23E	660 FNL; 4622 FWL
12-21	43-037-31201	14-20-603-246A	SEC. 12, T41S, R23E	NE/NW 660 FNL; 1980 FWL
12W-22	43-037-15845	14-20-603-246	SEC. 12, T41S, R23E	NA
12-23	43-037-15846	14-20-603-246A	SEC. 12, T41S, R23E	1958 FNL; 3300 FWL
12W-24	43-037-31151	14-20-603-246A	SEC. 12, T41S, R23E	775 FSL; 1980
12-32	43-037-31203	14-20-603-246A	SEC. 12, T41S, R23E	SW/NE 1820 FNL; 1820 FEL
12W-33	43-037-15848	14-20-603-246A	SEC. 12, T41S, R23E	NW/SE 1957 FSL; 1981 FEL
12-34	43-037-31126	14-20-603-246A	SEC. 12, T41S, R23E	SW/SE 675 FSL; 1905 FEL
12-41	43-037-15349	14-20-603-246A	SEC. 12, T41S, R23E	
12W-42	43-037-15850	14-20-603-246A	SEC. 12, T41S, R23E	3275 FSL; 662 FEL



DIVISION OF PALOIL, GAS & MINING PAL

PAID Prid

> 14-20-602-246 SENW 1920 FNL 2080 FWL

FORM 11		STATE OF UTAH /ISION OF OIL, GAS AND MINING						Page _ l _ of _ l	
		MON	THLY O	IL AND	GAS DI	SPOSITIO	N REPOR	Γ	
	DR-I-AN	Sheff BERRY	10B1L 807A RENTW 5221-9031		WER G ., Co. 81=	REPOR	ACCOUNT NUMBE	H/YEAR):	
	1				fie.				EMPINE
ENTITY NUMBER	PRODUCT	GRAVITY BTU	BEGINNING	VOLUME PRODUCED	TRANSPORTED	USED ON SITE	FLARED/VENTED	OTHER	ENDING
	OIL			177609	177609	0			
05980	GAS				66216	5885			
	OIL								
11174	GAS								
	OIL								
	GAS								
	OIL								
	GAS						4121	SEIN	den_
	OIL						- W-	- A - 7 - 4'	79
	GAS							EP 131	
	OIL						D	IVISION GAS & M	OF
	GAS						CIE,	uno a M	
	OIL								
	GAS								

249710 243825 5885 WILL COMPILED AND SENT &

IN THE FUTURE.

I hereby certify that this report is true and complete to the best of my knowledge.

TOTALS

Telephone Number 214 658 2538

Sept 29, 1993

To: Lisha Cordova-Utah Mining FROM: Janice Easley BLM Farmington, NM 505 599-6355

Here is copy of Ratherford Unit Successor aprotor.

4 pages including this one.

Ø 002

26 rothinged Unit (GC)

TSELVED BLM

Navajo Area Office P. O. Box 1060 Gallup, New Mexico 87305-1060 070 FAILMERON, NM

ARES/543

التحل ما المالية

Mr. G. D. Cox Mobil Exploration and Producing North America, Inc. P. O. Box 633 Midland, Texas 79702

Dear Mr. Cox:

Enclosed for your information and use is the approved Designation of Operator between the Phillips Petroleum Company and Mobil Exploration and Producing North America, Inc. for the Ratherford Unit.

Please note that all other concerned parties will be furnished their copy of the approved document.

Sincerely,

Alizonemme

ACTING Area Director

Enclosure

cc: Bureau of Land Management, Farmington District Office w/enc.
TNN, Director, Minerals Department w/enc.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF INDIAN AFFAIRS

DECEIVED BLM

DESIGNATION OF OPERATOR

Phillips Petroleum Company is, on the records of the Bureau of Indian Affairs, operator of the Ratherford Unit,

AREA OFFICE: Window Rock, Arizona
LEASE NO: Attached hereto as Exhibit "A"

070 FARMINGTON, NM

and, pursuant to the terms of the Ratherford Unit Agreement, is resigning as Unit Operator effective July 1, 1993, and hereby designates

NAME: Mobil Exploration and Producing North America Inc., duly elected pursuant to the terms of the Ratherford Unit Agreement,

ADDRESS: P. O. Box 633, Midland, Texas 79702

Attn: G. D. Cox

as Operator and local agent, with full authority to act on behalf of the Ratherford Unit lessees in complying with the terms of all leases and regulations applicable thereto and on whom the authorized officer may serve written or oral instructions in securing compliance with the Operating Regulations (43 CFR 3160 and 25 CFR 211 and 212) with respect to (described acreage to which this designation is applicable):

Attached hereto as Exhibit "A"

Bond coverage under 25 CFR 211, 212 or 225 for lease activities conducted by the above named designated operator is under Bond Number <u>05202782</u> (attach copy). Evidence of bonding is required prior to the commencement of operations.

It is understood that this designation of operator does not relieve any lessee of responsibility for compliance with the terms of the leases and the Operating Regulations. It is also understood that this designation of operator does not constitute an assignment of any interest in the leases.

In case of default on the part of the designated operator, the lessees will make full and prompt compliance with all regulations, lease terms, stipulations, or orders of the Secretary of the Interior or his representative.

Attached is the appropriate documentation relevant to this document.

The designated operator agrees to promptly notify the authorized officer of any change in the operatorship of said Ratherford Unit.

Phillips Petroleum Company

June 17, 1993

Attorney-in-Fac

Mobil Exploration and Producing

North America Inc.

June //_, 1993

Attorney-in-Vact B.D. MARTIN

AREA DIRECTOR

'D

APPROVED PURSUANT, TO SECRETARIAL REDELEGATION ORDER 209 DM 8 AND 230 DM 3. This form does not constitute an information collection as defined by 44 U.S.C. 3502 and therefore does not require

OMB approval.

EXHIBIT "A"

ATTACHED TO AND MADE A PART OF DESIGNATION OF SUCCESSOR OPERATOR, RATHERFORD UNIT

EXHIBIT "C"

Revised as of September 29, 1992) SCHEDULE OF TRACT PERCENTAGE PARTICIPATION

Tract <u>Number</u>	<u>Description of Land</u>	Serial Number and Effective Date of Lease	Tract Percentage Participation
1	S/2 Sec. 1, E/2 SE/4 Sec. 2, E/4 Sec. 11, and all of Sec. 12, T-41-S, R-23-E, S.L.M. San Juan County, Utah	14-20-603-246-A Oct. 5, 1953	11.0652565
. 2	SE/4 and W/2 SW/4 Sec. 5, the irregular SW/4 Sec. 6, and all of Sec. 7 and 8, T-41-5, R-24-E, San Juan County, Utah	14-20-603-368 Oct. 26, 1953	14.4159942
3	SW/4 of Sec. 4, T-41-S, R-24-E, San Juan County, Utah	14-20-603-5446 Sept. 1, 1959	.5763826
4	SE/4 Sec. 4, and NE/4 Sec. 9, T-41-S, R-24-E, San Juan County, Utah	14-20-603-4035 Harch J, 1958	1.2587779
5	SW/4 of Sec. 3, T-41-8, R-24-E, S.L.N., San Juan County, Utah	14-20-603-5445 Sept. 3, 1959	. 4667669
6	NW/4 of Sec. 9, T-41-5, R-24-E, S.L.H., San Juan County, Utah	14-20-603-5045 Feb. 4, 1959	1.0187043
7	NW/4, W/2 NE/4, and SW/4 Sec. 10, SE/4 Sec. 9, T-41-5, R-Z4-E, San Juan County, Utah	14-20-603-4043 Feb. 18, 1958	3.5097575
8.	SW/4 Sec. 9, T-41-s, R-24-E, S.L.H. San Juan County, Utah	14-20-603-5046 Feb. 4, 1959	1.1141679
9	SE/4 Sec. 10 and S/2 SW/4 Sec. 11 T-41-S, R-24-E, San Juan County, Utah	14-20-603-4037 Feb. 14, 1958	2.6186804
10	All of Sec. 13, E/2 Sec. 14, and E/2 SE/4 and N/2 Sec. 24, T-41-5, R-23-E, 5.L.H San Juan County, Utah	14-20-603-247-A Oct. 5, 1953	10.3108861
11	Sections 17, 18, 19 and 20, T-41-5, R-24-E, San Juan County Utah	14-20-603-353 Oct. 27, 1953	27.3389265
12	Sections 15, 16, 21, and NW/4, and W/2 SW/4 Sec. 22, T-41-5, R-24-E, San Juan County, Utah	14-20-603-355 Oct. 27, 1953	14.2819339
13 -	W/2 Section 14, T-41-5, R-24-E, San Juan County, Utah	14-20-603-370 Oct. 26,1953	1.8500847
14	N/2 and SE/4, and E/2 SW/4 Sec. 29, NE/4 and E/2 SE/4 and E/2 W/2 irregular Sec. 30, and E/2 NE/4 Sec. 32, T-41-S, R-24-E, San Juan County, Utah	14-20-603-407 Dec. 10, 1953	6.9924969
15	NW/4 Sec. 28, T-41-S, R24-E San Juan County, Utah	14-20-603-409 Dec. 10, 1953	.9416393
16	SE/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6504 July 11, 1961	. 5750254
17	NE/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6505 July 11, 1961	. 5449292
18.	NW/4 Sec. 3, T-41-S, R-24-E San Juan County, Utah	14-20-0603-6506 July 11, 1961	. 5482788
19	NE/4 Sec. 4, T-41-S, R24-E San Juan County, Utah	14-20-0603-7171 June 11, 1962	.4720628
20	E/2 NW/4 Sec. 4, T-41-S, R-24-E San Juan County, Utah	14-20-0603-7172 June 11, 1962	.0992482

Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

Route original/copy to: [] Well File (Location) SecTwpRng (API No.)	(Return Date) (To - Initials)	Other OPERATOR CHANGE
1. Date of Phone Call: 10-6-93	- Time: _9:	30
2. DOGM Employee (name)1 Talked to: NameGLEN COX of (Company/Organization)	(Initiated Call []) - P	
3. Topic of Conversation: OPERATOR (NEED TO CONFIRM HOW OPERATOR OR MOBIL OIL CORPORATION AS PE	WANTS THE WELLS SET UP -	MEPNA AS PEREBIA APPROVAL
4. Highlights of Conversation: MR. COX CONFIRMED THAT THE WEI PER BIA APPROVAL, ALSO CONFIRM BE HANDLED OUT OF THEIR CORTEZ MEPNA-	LLS SHOULD BE SET UNDER ACTION & DIST	COUNT N7370/MEPNA AS POSITION REPORTS WILL NOW
PO DRAWER G		
CORTEZ, CO 81321		
(303) 565-2212		
*ADDRESS CHANGE AFFECTS ALL WI	ELLS CURRENTLY OPERATORED	BY MEPNA, CURRENTLY
REPORTED OUT OF DALLAS (MCELMO		
	•	

	OR CHANGE HO						Routing:
Attach a Initial	11 documentatio each listed ite	on received by om when comple	the division re eted. Write N/A	garding this change if item is not appli	icable.		2_D29758-RIAN 3-VLC 4-RJR
© Chan	ge of Operat gnation of C	or (well s perator	old)	☐ Designation o ☐ Operator Name			5-II-72 6-PL
				has changed (EFF	ECTIVE DATE:	7-1-93	>
TO (ne		PO DRAWER CORTEZ, CO GLEN COX (phone (303)	G 81321 915)688-2114)565-2212 N7370		(address) 	PHILLIPS PET 5525 HWY 64 FARMINGTON, PAT KONKEL phone (505 account no.	NM 87401) 599-3452
) (attach addi			*RATHERFORD UNIT			
Name: Name: Name: Name: Name:			API:_	### Entity: Entity: Entity: Entity: Entity: Entity: Entity:	SecTwp SecTwp SecTwp SecTwp SecTwp	Rng L Rng L Rng L Rng L Rng L	ease Type: ease Type: ease Type: ease Type: ease Type:
<u>Lec</u> 1.	operator (A (Rule R615-	-8-10) Sun ttach to t -8-10) Sund	dry or other his form). <i>(f</i> ry or other]	legal documen y 8-20-93) (6/93 frod.	Pal 8-110-93)		•
1	The Departmoperating a	this form <i>)</i> ment of Com any wells	. <i>(Reg. 8-3143)(R</i> merce has bee	n contacted if company registe	the new opera	tor above i	s not currently
Lec 4.	(attach Te comments so changes sho	lephone Do ection of ould take p	cumentation this form. lace prior to	LY) The BLM has Form to this r Management revie completion of s	eport). Mak w of Federal teps 5 through	e note of and India: ph 9 below.	BLM status in n well operator
4	lizted goov	18. (02.6 WE	115 10-6-43/ (K	011 and Gas Info 01ω's 10-26-437			
Jec 6.	Cardex file	has been	updated for e	ach well listed for each well l	above.(Ot6we	11s 10-6-93) 10	UNU'S 10-26-93)
	for distrit	oution to S	tate Lands an	monthly "Operat d the Tax Commis	sion. (10-6-93)	7	·
Lec 9.	A folder ha	as been se e for refe	up for the	Operator Change routing and proc	file, and a essing of the	copy of thi	s page has been locuments.

PERATOR	CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A of item is not applicable.
NTITY	REVIEW
<u>ze</u> 1.	(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/no) (If entity assignments were changed, attach copies of Form 6, Entity Action Form).
<u>N/p</u> 2.	State Lands and the Tax Commission have been notified through normal procedures of entity changes.
OND VI	ERIFICATION (Fee wells only)
Hec/1.	(Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2.	A copy of this form has been placed in the new and former operators' bond files.
3.	The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19
LEASE :	INTEREST OHNER NOTIFICATION RESPONSIBILITY
W/0-1.	(Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated 19, of their responsibility to notify any person with an interest in such lease of the change of operator. Documentation of such notification has been requested.
<i>1</i> /2 2 €	Copies of documents have been sent to State Lands for changes involving State leases.
FILMIN	G
<u>~</u> 1.	All attachments to this form have been microfilmed. Date:
FILING	
<u>/ee</u> 1.	Copies of all attachments to this form have been filed in each well file.
	The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
COMMEN	TS
931	cole BIA/Blm Approved 7-9-93.
£71/3	4–35

Form 3160-5 (June 1990)

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

FORM APPROVED Budget Bureau No. 1004-0135 Expires; March 31, 1993

manuciont statements

5. Lease Designation and Serial No.

14-20-603-246A

SUNDRY NOTICES AN	6. If Indian, Allottee or Tribe Name	
• •	or to deepen or reentry to a different reservoir. PERMIT - " for such proposals	NAVAJO TRIBAL
SUBMIT	7. If Unit or CA, Agreement Designation RATHERFORD UNIT	
1. Type of Well X Oil Gas Other	8. Well Name and No. RATHERFORD 12-34 9. API Well No. 43-037-31126 10. Field and Pool, or exploratory Area GREATER ANETH 11. County or Parish, State	
SEC. 12, T41S, R23E		SAN JUAN UT
CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT,	
TYPE OF SUBMISSION	TYPE OF ACTION	
Notice of Intent	Abandonment Recompletion	Change of Plans New Construction
Subsequent Report Final Abandonment Notice	Plugging Back Casing Repair Altering Casing WORKOVER	Non-Routine Fracturing Water Shut-Off Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well Completion of Recompletion Report and Log form.)
04-27-95 MIRU NU BOP 04-28-95 POH W/ TBG. 04-29-95 RIH W/DC & DP. PUMP 05-01-95 RIH W/BIT. TAG AT 5 05-02-95 PRESS, HOLE W/AIR MIS 05-03-95 DRILL; 6.125" HOLE TO 05-04-95 SET PRK AT 5350' LOA 05-05-95 ACDZ INTERVAL 5409-55	T. DRILL FROM 5468-5505.) 5587' CIRC. HOLE CLEAN. ND CSG. TEST TO 500 PSI. 688 W/120 BBL HCL. (5557'-5581'). SN @ 5474' ANCHOR AT	
	JUN C	5 1995
14. I hereby certify that the foregoing is true and correct Signed Chief Robert Conditions of approval, if any:	Title ENV. & REG. TECHNICIAN Title Title	Date Date

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or representations as to any matter within its jurisdiction.

Form 3160-5 (June 1990)

675' FSL, 1905' FEL

SEC. 12, T41S, R23E

UNITED STATES

DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

FORM APPROVED Budget Bureau No. 1004-0135 Expires: March 31, 1993

5. Lease Designation and Serial No.

14-20-603-246A

11. County or Parish, State

6. If Indian, Allottee or Tribe Name

Do not use this form for proposals to drill or to deepen or reentry to a different reservoir.	o. If finding, Another of Tribe Name
Use "APPLICATION FOR PERMIT - " for such proposals NAVAJO TRIBA	
SUBMIT IN TRIPLICATE	7. If Unit or CA, Agreement Designation RATHERFORD UNIT
1. Type of Well X Oil Gas Well Other	8. Well Name and No.
2. Name of Operator Mobil Exploration & Producing U.S. Inc. as Agent for Mobil Producing TX & NM Inc.	RATHERFORD 12-34 9. API Well No.
3. Address and Telephone No.	43-037-31126
P.O. Box 633, Midland, TX 79702 (915) 688-2585 4. Location of Well (Footage, Sec., T., R., M., or Survey Description)	10. Field and Pool, or exploratory Area GREATER ANETH

SAN JUAN CHECK APPROPRIATE BOX(s) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA 12. TYPE OF SUBMISSION TYPE OF ACTION Notice of Intent Abandonment Change of Plans Recompletion New Construction Subsequent Report Plugging Back Non-Routine Fracturing Casing Repair Water Shut-Off Final Abandonment Notice Altering Casing Conversion to Injection Dispose Water (Note: Report results of multiple completion on Well

Completion or Recompletion Report and Log form.) 13. Describe Proposed or Completed Operations (Clearly state all portinent details, and give pertinent dates, including estimated date of starting any proposed work. If well is directionally drilled, give subsurface locations and measured and true vertical depths for all markers and zones pertinent to this work.)*

SEE ATTACHED PROCEDURE

14. I hereby certify that the foregoing is true and correct Signed	Title ENV. & REG. TECHNICIAN	Date 6-19-95
(This space for Federal or State office wee) Approved by Conditions of approval, if any:	Title Petroleum Snagneer	Date 6/27/95

Title 18 U.S.C. Section 1001, makes it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

3. PU 5-1/8" rock bit, ten 3-1/2" drill collars on 2-7/8", 10.4 lb/ft AOH Grade E drillpipe. RIH to PBTD at 5480'. Circulate hole using +/- 8.7 ppg polymer mud to confirm that circulation is possible. If can not circulate, RU air drilling equipment as was used for milling windows on horizontal wells. Drill well to a TD of 5580' DPM. Circulate out drilling fluid using lease water (if possible). POH laying down drillpipe. RU Schlumberger. RIH with TDT log and log from TD at 5580' DPM to 5380' EL. POH. RD Schlumberger. PU squeeze packer on 2-7/8", 6.5 lb/ft J-55 EUE 8rd tubing. Hydrotest tubing to 4000 psi while RIH. Set squeeze packer at 5350' and PT backside to 500 psi. Monitor backside pressure. 6. RU Halliburton. PT lines to 4000 psi. MI 100 bbls of 10 ppg brine. Pump the following acid stimulation treatment at +/- 8 BPM not exceeding 3500 psi surface injection pressure: A)40 bbls of 15 percent HCL acid B) 15 bbls of rock salt pill \mathbf{C} 40 bbls of 15 percent HCL acid D) 15 bbls of rock salt pill 40 bbls of 15 percent HCL acid F) 15 bbls of rock salt pill G) 40 bbls of 15 percent HCL acid H) Displace with +/- 50 bbls 10 ppg brine NOTE: All acid to contain 5 gal/M Fe-1A, 25 lbs/M Fe-2, 1 gal/M HAI-81, 1 gal/M LOSURF-300, 10 gal/M MUSOL A, 1 gal/M SGA-HT Rock salt pill to contain 10 ppg brine, 1 lb/M GBW-3, 10 gal/M LGC-8, 1 ppg TBA-110 diverter Swab well for remainder of daylight hours. Release squeeze packer and POH. RIH with bit and bulldog bailer. CO salt fill to TD of 5580'. POH. Run gas anchor, tubing anchor, production tubing, rod pump, and sucker rods as per Ed Barber's recommendation. Hang well on pumping unit. RDMO workover rig. PREPARED BY: S. S. Murphy

Ratherford Unit 12-34

AFE #5AG8

Drill Deeper Procedure

Lock out, tag out all power sources. MIRU workover rig. Load well with lease water. RD pumping unit horse head and pump tee.

POH with laying down sucker rods and rod pump. Release tubing


NU and PT BOP's to 2000 psi high and 300 psi low.

anchor and POH laying down production tubing.

2.


RATHERFORD UNIT 12-34 GREATER ANETH FIELD SAN JUAN COUNTY UTAH SWSE SEC 12 T41S R23E API 43-037-31126 PRISM 0042993

PRODUCER



PRODUCER

RATHERFORD UNIT 12-34 GREATER ANETH FIELD SAN JUAN COUNTY UTAH SWSE SEC 12 T41S R23E API 43-037-31126 PRISM 0042993





API NO. ASSIGNED: 43-037-31126 APD RECEIVED: 06/23/95 WELL NAME: RATHERFORD 12-34 (RE-ENTRY) OPERATOR: MOBIL E & P U.S. INC (N7370) INSPECT LOCATION BY: PROPOSED LOCATION: SWSE 12 - T41S - R23E TECH REVIEW Initials SURFACE: 0675-FSL-1905-FEL Date BOTTOM: 0675-FSL-1905-FEL Engineering SAN JUAN COUNTY GREATER ANETH FIELD (365) Geology LEASE TYPE: IND Surface LEASE NUMBER: 14-20-603-246A PROPOSED PRODUCING FORMATION: DSCR LOCATION AND SITING: RECEIVED AND/OR REVIEWED: R649-2-3. Unit: Plat Bond: Federal[] State[] Fee[] R649-3-2. General. (Number Potash $(Y\overline{/N})$ R649-3-3. Exception. Oil shale (Y/N)Water permit Drilling Unit. (Number Board Cause no: RDCC Review (Y/N) Date: (Date: ____ COMMENTS: STIPULATIONS:

2/93)

OPERATOR NAME AND ADDRESS:

STATE OF UTAH DIVISION OF OIL, GAS AND MINING
355 West North Temple, 3 Triad, Suite 350, Salt Lake City, UT 84180-1203

Page 19 of 22

MONTHLY OIL AND GAS PRODUCTION REPORT

OPERATOR NAME AND ADDRESS:			UTAH	ACCOUNT NUMBER	N7370			
C/O MOBIL OIL CORP M E P N A PO DRAWER G	·		REPO	RT PERIOD (MONTH	/YEAR): 6 / 95			
CORTEZ CO 81321			AMENDED REPORT (Highlight Changes)					
Vell Name	Producing	ng Well Days Product				tion Volumes		
PI Number Entity Location	Zone	Status	Oper	OIL(BBL)	GAS(MCF)	WATER(BBL)		
RATHERFORD UNIT 20-31 4303731050 06280 41S 24E 20	ISMY	 						
RATHERFORD UNIT 20-42 4303731051 06280 41S 24E 20 RATHERFORD UNIT 21-11	DSCR				į			
4303731052 06280 415 24E 21 RATHERFORD UNIT 29-11	DSCR							
4303731053 06280 41S 24E 29 RATHERFORD UNIT #18-24	DSCR					***		
4303731079 06280 415 24E 18 RATHERFORD UNIT #19-11	DSCR	· · · · · · · · · · · · · · · · · · ·						
4303731080 06280 41S 24E 19 THERFORD UNIT #19-44	DSCR							
	DSCR	, <u>un</u> .				· · · · · · · · · · · · · · · · · · ·		
4303731082 06280 415 24E 29 RATHERFORD UNIT 12-34	DSCR					·		
4303731126 06280 415 23E 12 RATHERFORD UNIT 13-12	DSCR							
4303731127 06280 415 23E 13 RATHERFORD UNIT #13-21 4303731128 06280 415 23E 13	DSCR				1			
4303731128 06280 41S 23E 13 RATHERFORD UNIT #13-23 4303731129 06280 41S 23E 13	DSCR DSCR							
RATHERFORD UNIT 13-34 (RE-ENTRY) 4303731130 06280 41S 23E 13								
<u> </u>	D3CK 1		TOTALS					
				- <u> </u>				
MMENTS:								
	<u> </u>			 .				
			· · · · · · · · · · · · · · · · · · ·					
e. S certify that this report is true and complete to the	ne best of my	knowledge.		Dat	te:			
ne and Signature:				T	elephone Number:			

Division of Oil, Gas and Mining PHONE CONVERSATION DOCUMENTATION FORM

	ecTwp	Rng	Suspense (Return Date) _ (To - Initials) _	OPER NM CHG
1. Date of Pho	ne Call:8	-3-95	Time:	
Talked to: Name R	J. FIRTH	(Ir	nitiated Call 🐯) –	(Initiated Call []) Phone No. ()
_				
NORTH AMERI	AME IS BEING CONTROL OF THE CONTROL OF T	HANGED FROM BIL EXPLOR 8	MEPNA (MOBIL PROD. THE NAME OTH IN HOUSE AND	EXPLORATION AND PRODUCING CHANGE IS BEING DONE AT AMONGST THE GENERAL PUBLIC. (SEE ATTACHED).

-					
	on of Oil, Gas and Mining FOR CHANGE WORKSHEET		\ -		Rou (in)
	all documentation received by the division reach listed item when completed. Write N/A		able.		2_LWP 8-SJV 3=BES 9-FILE 4-VLC 4
□ Char □ Desi	nge of Operator (well sold) ignation of Operator	□ Designation of XXX Operator Name (Agent Change Only		5-RJF 6-LWP
The op	perator of the well(s) listed below	has changed (EFFEC	TIVE DATE:	8-2-95)
TO (ne	ew operator) MOBIL EXPLOR & PROD (address) C/O MOBIL OIL CORP PO DRAWER G CORTEZ CO 81321 phone (303) 564-5212 account no. N7370	FROM (former	operator) (address)	C/O MOBIL PO DRAWER CORTEZ CO phone (30)	OIL CORP G
Hell(s) (attach additional page if needed):				
Name: Name: Name: Name:	** SEE ATTACHED ** API:	Entity:_Entity:Entity:Entity:_Entity:Entity:_Entity:Entity:Entity:_En	SecTwp SecTwp SecTwp SecTwp SecTwp	0Rng 0Rng 0Rng 0Rng	Lease Type: Lease Type: Lease Type: Lease Type: Lease Type:
<u>N/A</u> 2.	(Rule R615-8-10) Sundry or other operator (Attach to this form). (Rule R615-8-10) Sundry or other 1 (Attach to this form). The Department of Commerce has bee	<u>egal</u> documentation	has been	recei ve d f	rom <u>new</u> operator
<u>u</u> 3.	operating any wells in Utah. Is yes, show company file number:	company registered	d with the	state? (y	res/no) If
<u>s/4</u> 4.	(For Indian and Federal Hells ONI (attach Telephone Documentation I comments section of this form. M changes should take place prior to	Form to this repo lanagement review	ort). Make of Federal	e note of and India	BLM status in an well operator
Je 5.	listed above. (8-3-95)				M) for each well
₩ ⁶ .	Cardex file has been updated for ea	ach well listed abo	ove. 8_31_9	~	•
7.	Well file labels have been updated	for each well list	ted above.	9-28-95	
	Changes have been included on the for distribution to State Lands and	T ^		1	
<u>L</u> ll9.	A folder has been set up for the C placed there for reference during r	Operator Change fill couting and process	le, and a cand a	copy of th original	is page has been documents.

OPERATOR	CHANGE WORKSHEET (CONTINUED) Initial each item when completed. Write N/A if item is not applicable.
ENTITY	REVIEH
	(Rule R615-8-7) Entity assignments have been reviewed for all wells listed above. Were entity changes made? (yes/ho) (If entity assignments were changed, attach <u>copies</u> of Form 6, Entity Action Form).
MA 2.	State Lands and the Tax Commission have been notified through normal procedures of entity changes.
BOND VE	RIFICATION (Fee wells only) * No Fee Leese Wells at this time!
N/A/ 1.	(Rule R615-3-1) The new operator of any fee lease well listed above has furnished a proper bond.
2. /	A copy of this form has been placed in the new and former operators' bond files.
3.	The former operator has requested a release of liability from their bond (yes/no) Today's date 19 If yes, division response was made by letter dated 19
LEASE II	NTEREST OWNER NOTIFICATION RESPONSIBILITY
ا دـــــ	(Rule R615-2-10) The former operator/lessee of any fee lease well listed above has been notified by letter dated
_	Copies of documents have been sent to State Lands for changes involving State leases .
FILMING	
/1. <i>F</i>	All attachments to this form have been microfilmed. Date: Oclobic 1995.
ILING	
1. <u>c</u>	Copies of all attachments to this form have been filed in each well file.
	The <u>original</u> of this form and the <u>original</u> attachments have been filed in the Operator Change file.
OMMENTS	
95080.	3 WIC F5/Not necessary!

WE71/34-35

ExxonMobil Production Comp U.S. West P.O. Box 4358 Houston, Texas 77210-4358

June 27, 2001



Mr. Jim Thompson State of Utah, Division of Oil, Gas and Mining 1549 West North Temple Suite 1210 Salt Lake City, UT 84114-5801

Change of Name – Mobil Oil Corporation to ExxonMobil Oil Corporation

Dear Mr. Thompson

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

A copy of the Certification, Bond Rider and a list of wells are attached.

If you have any questions please feel free to call Joel Talavera at 713-431-1010

Charlotte J. Darper

Charlotte H. Harper Permitting Supervisor

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

FIRET

7 7 7 2

DOUGHON OF OIL GAS AND MALIFO



United States Department of the Interior

BUPEAU OF INDIANAFEAURS NAVATO REGION

P.O. Box 1060 Gallup, New Mexico 87305-1060

RRES/543

13 11 15

AUG 3 0 2001

CERTIFIED MAIL - RETURN RECEIPT REQUESTED

Charlotte H. Harper, Permitting Supervisor Exxon Mobil Production Company U. S. West P. O. Box 4358 Houston, TX 77210-4358

Dear Ms. Harper:

This is to acknowledge receipt of your company's name change from Mobil Oil Corporation to ExxonMobil Oil Corporation effective June 1, 2001. The receipt of documents includes the Name Change Certification, current listing of Officers and Directors, Listing of Leases, Financial Statement, filing fees of \$75.00 and a copy of the Rider for Bond Number 8027 31 97. There are no other changes.

Please note that we will provide copies of these documents to other concerned parties. If you need further assistance, you may contact Ms. Bertha Spencer, Realty Specialist, at (928) 871-5938.

Sincerely,

CENNI DENETSONE

Regional Realty Officer

cc: BLM, Farmington Field Office w/enclosures
Navajo Nation Minerals Office, Attn: Mr. Akhtar Zaman, Director/w enclosures

ADM J 48 MESOURCES	
NATV AFI HEN COORD	•
SOLID ATM TEAM	_
PERSON THE LANGE	•
O & G IN SHEET THAM	-
ALL TEAM LEADERS	
LAND RESOURCES	•
ENVIRONMENT	-
FILES	_ 1
	-

ExxonMobil Production Company

U.S. West P.O. Box 4358 Houston, Texas 77210-4358

June 27, 2001

Certified Mail
Return Receipt Requested

Ms. Genni Denetsone
United States Department of the Interior
Bureau of Indian Affairs, Navajo Region
Real Estate Services
P. O. Box 1060
Gallup, New Mexico 87305-1060
Mail Code 543

1 1/2 2 100 / SW 543

ExonMobil Production



Change of Name –
Mobil Oil Corporation to
ExxonMobil Oil Corporation

Dear Ms. Denetsone:

Effective June 1, 2001, Mobil Oil Corporation (MOC) changed its name to ExxonMobil Oil Corporation (EMOC). This was a name change only; EMOC is the same corporation as Mobil Oil Corporation, but with a new name. No facility or other asset was transferred from one corporation to another by virtue of the name change. Specifically, EMOC will remain the owner and operator of its existing exploration and production oil and gas properties and facilities, as well as relevant permits.

There is no change to the name of Exxon Mobil Corporation, the ultimate shareholder of EMOC.

Please note the change of name of MOC to ExxonMobil Oil Corporation in your records pertaining to any MOC permits.

The Federal Identification Number for MOC (13-5401570) will remain the same for EMOC.

Attached is the Name Change Certification, Current listing of Officers and Directors, Filing Fee of \$75/-, Listing of Leases, Financial Statement and a copy of the Rider for Bond number 8027 31 97. The original Bond Rider has been sent to Ms. Barbar Davis at your Washington Office.

If you have any questions, please contact Alex Correa at (713) 431-1012.

Very truly yours,

Charlotte H. Harper Permitting Supervisor

Attachments

JUL 0 5 2001

NAVAJO REGION OFFICE
BRANCH OF REAL ESTATE SERVICES

ExxonMobil Production Company a division of Exxon Mobil Corporation, acting for ExxonMobil Oil Corporation

NOTE: Check forwarded to Ella Issue

Charlotte U. Harper

F. U4

Bureau of Indian Affairs Navajo Region Office Attn: RRES - Mineral and Mining Section P.O. Box 1060 Gallup, New Mexico 87305-1060

Gentlemen:	
------------	--

The current list Corporation), o	ting of officers and director of New York	ExxonMobil 0il Corporation (Name of (State) is as follows:
President Vice President Secretary Treasure	F.A. Risch K.T. Koonce F.L. Reid B.A. Maher	Address 5959 Las Colinas Blvd. Irving, TX 75039
Name <u>P.A. Ha</u> Name <u>T.P. To</u> Name <u>B,A, Ma</u>	wnsend her sch	Address 5959 Las Colinas Blvd. Irving, TX 75039 Ogerely,
and in the	that the above information pe ect as evidenced by the record he custody of Corporation Serv	ertaining to ExxonMobil Oil Corporation (Corporation) ds and accounts covering business for the State of Utah (Agent), Phone: 1 (800)927-9800 (201 South Main Street, Salt Lake City, Utah 84111-2218 Signature AGENT AND ATTENEY IN 787 Title

CERTIFICATION

I, the undersigned Assistant Secretary of ExxonMobil Oil Corporation. (formerly Mobil Oil Corporation), a corporation organized and existing under the laws of the State of New York, United States of America, DO HEREBY CERTIFY, That, the following is a true and exact copy of the resolutions adopted by the Board of Directors on May 22, 2001:

CHANGE OF COMPANY NAME

WHEREAS, the undersigned Directors of the Corporation deem it to be in the best interest of the Corporation to amend the Certificate of Incorporation of the Corporation to change the name and principal office of the Corporation:

NOW THEREFORE BE IT RESOLVED, That Article 1st relating to the corporate name is hereby amended to read as follows:

"1st The corporate name of said Company shall be,

ExxonMobil Oil Corporation",

FURTHER RESOLVED, That the amendment of the Corporation's Certificate of Incorporation referred to in the preceding resolutions be submitted to the sole shareholder of the Corporation entitled to vote thereon for its approval and, if such shareholder gives its written consent, pursuant to Section 803 of the Business Corporation Law of the State of New York, approving such amendment, the proper officers of the Corporation be, and they hereby are, authorized to execute in the name of the Corporation the Certificate of Amendment of Certificate of Incorporation, in the form attached hereto;

FURTHER RESOLVED, That the proper officers of the Corporation be and they hereby are authorized and directed to deliver, file and record in its behalf, the Certificate of Amendment of Certificate of Incorporation, and to take such action as may be deemed necessary or advisable to confirm and make effective in all respects the change of this Company's name to EXXONMOBIL OIL CORPORATION.

WITNESS, my hand and the seal of the Corporation at Irving, Texas, this 8th day of June, 2001.

S. U. Dullecan
Assistant Secretary

COUNTY OF DALLAS STATE OF TEXAS

UNITED STATES OF AMERICA

Sworn to and subscribed before me at Irving, Texas, U. S. A. on this the 8th day of June, 2001.

fanice M. Phillip Notary Public

LISTING OF LEASES OF MOBIL OIL CORPORATION

Lease Number

- 1) 14-20-0603-6504
- 2) 14-20-0603-6505
- 3) 14-20-0603-6506
- 4) 14-20-0603-6508
- 5) 14-20-0603-6509
- 6) 14-20-0603-6510
- 7) 14-20-0603-7171
- 8) 14-20-0603-7172A
- 9) 14-20-600-3530
- 10) 14-20-603-359
- 11) 14-20-603-368
- 12) 14-20-603-370
- 13) 14-20-603-370A
- 14) 14-20-603-372
- 15) 14-20-603-372A
- 16) 14-20-603-4495
- 17) 14-20-603-5447
- 18) 14-20-603-5448
- 19) 14-20-603-5449
- 20) 14-20-603-5450
- 21) 14-20-603-5451



(4) 60 Venezi il dei Shuth, Suite 1900, Robiston Texas, 77027-3301 (4) med. J. 131 227-4600 r. Fedsimila. (713) 287-4750 NW Bond

FEDERAL INSURANCE COMPANY RIDER to be attached to and form a part of

BOND NO 8027 31 97
wherein
Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc. is
named as Principal and

FEDERAL INSURANCE COMPANY AS SURETY,

in favor of United States of America, Department of the Interior Bureau of Indian Affairs

in the amount of \$150,000.00 bond date: 11/01/65

IT IS HEREBY UNDERSTOOD AND AGREED THAT effective June 1, 2001 the name of the Principal is changed

FROM: Mobil Oil Corporation and Mobil Exploration and Producing U.S., Inc.

TO : ExxonMobil Oil Corporation

All other terms and conditions of this Bond are unchanged.

Signed, sealed and dated this 12th of June, 2001.

ExxonMobil Qil Corporation

FEDERAL INSURANCE COMPANY

Mary Pierson, Attorney-in-fact





Federal insurance Company Vigilant Insurance Company Pacific Indemnity Company

Attn.: Surety Department 15 Mountain View Road Warren, NJ 07059

Know All by These Presents, That FEDERAL INSURANCE COMPANY, an Indiana corporation, VIGILANT INSURANCE COMPANY, a New York corporation, and PACIFIC INDEMNITY COMPANY, a Wisconstn corporation, do each hereby constitute and appoint R.F. Bobo,

Mary Pierson, Philana Berros, and Jody E. Specht of Houston, Texas-----

each as their true and lawful Attorney-in-Fact to execute under such designation in their names and to affix their corporate seals to and deliver for and on their behalf as surety thereon or otherwise, bonds and undertakings and other writings obligatory in the nature thereof (other than bail bonds) given or executed in the course of business, and any instruments amending or attering the same, and consents to the modification or atteration of any instrument referred to in said bonds or obligations.

In Witness Whereof, said FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY have each executed and attested these presents and affixed their corporate seals on this 10th day of May, 2001.

Kenneth C. Wendel, Assistant Secreta STATE OF NEW JERSEY

County of Somerset

On this 10th day of May, 2001, before me, a Notary Public of New Jersey, personally came Kenneth C. Wendel, to me known to be Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY, the companies which executed the foregoing Power of Attorney, and the said Kenneth C. Wendel being by me duly sworn, did depose and say that he is Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY and knows the corporate seals therethe that the seals affixed to the foregoing Power of Attorney are such corporate seals and were thereto affixed by aidhority of the By-Laws of said Companies; and that he is accusalinted with Frank E. Robertson, and knows him to be signed said Power of Attorney at Assistant Secretary of said Companies by like authority; and that he is acquainted with Frank E. Robertson, and knows him to be President of said Companies; and that the aignature of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E. Robertson, subscribed to said Power of Attorney is in the genuine handwriting of Frank E.

Notary Public State of New Jersey

No. 2231647

Commission Expires Oct 2004 ON

Extract from the By-Laws of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY:

"All powers of attorney for and on behalf of the Company may and shall be executed in the name and on behalf of the Company, either by the Chairman or the President or a Vice President or an Assistant Vice President, jointly with the Secretary or an Assistant Secretary, under their respective designations. The signature of such officers may be engraved, printed or lithographed. The signature of each of the following officers: Chairman, President, any Vice President, any Assistant Vice President, any Secretary, any Assistant Secretary and the seal of the Company may be affixed by faceimile to any power of attorney or to any certificate relating thereto appointing Assistant Secretaries or Attorneys in-Fact for purposes only of executing and attesting bonds and undertakings and other writings obligatory in the nature thereof, and any such power of attorney or certificate bearing such facsimile signature or facsimile seal shall be valid and binding upon the Company and any such power so executed and certified by such facsimile signature and facsimile seal shall be valid and binding upon the Company with respect to any bond or undertaking to which it is attached."

I, Kenneth C. Wendel, Assistant Secretary of FEDERAL INSURANCE COMPANY, VIGILANT INSURANCE COMPANY, and PACIFIC INDEMNITY COMPANY (the "Companies") do hereby certify that

(i) the foregoing extract of the By-Laws of the Companies is true and correct,

the Companies are duly iconsed and authorized to transact surely business in all 50 of the United States of America and the District of Columbia and are authorized by the U. S. Treasury Department; further, Federal and Vigilant are licensed in Puerto Rico and the U. S. Virgin Islands, and Federal is Scensed in American Sermos, Guern, and each of the Provinces of Canada except Prince Edward Island; and

(iii) the foregoing Power of Attorney is true, correct and in full force and effect.

Given under my hand and seats of said Companies at Warren, NJ this $\underline{12th}$ day of June, 2001







IN THE EVENT YOU WISH TO NOTIFY US OF A CLAIM, VERIFY THE AUTHENTICITY OF THIS BOND OR NOTIFY US OF ANY OTHER MATTER, PLEASE CONTACT US AT ADDRESS LISTED ABOVE, OR BY Telephone (908) 903-3485 Fax (908) 903-3656 e-mail: surety@chubb.com

P. 09

CSC

CSC.

5184334741

06/01 '01 08:46 NO.410 03/05

06/01 '01 09:06 NO.135 02/04

F010601000 187

CERTIFICATE OF AMENDMENT

OF

CERTIFICATE OF INCORPORATION

O'E

CSC 45

MOBIL OIL CORPORATION

(Under Section 805 of the Business Corporation Law)

Pursuant to the provisions of Section 805 of the Business Corporation Law, the undersigned President and Secretary, respectively, of Mobil Oil Corporation hereby cartify:

FIRST: That the name of the corporation is MOBIL OIL CORPORATION and that said corporation was incorporated under the name of Standard Oil Company of New York.

SECOND: That the Certificate of Incorporation of the corporation was filed by the Department of State, Albany, New York, on the 10th day of August, 1882.

THIRD: That the amendments to the Certificate of Incorporation effected by this Certificate are as follows:

- (a) Article 1st of the Certificate of Incorporation, relating to the corporate name, is hereby amended to read as follows:
 - "1st The corporate name of said Company shall be, ExteniMobil Oil Corporation",
- (b) Article 7th of the Cartificate of Incorporation, relating to the office of the corporation is hereby amended to read as follows:

The office of the corporation within the State of New York is to be located in the County of Albany. The Company shall have offices at such other places as the Board of Directors may from time to time determine.

CSC CSC

5184334741

06/01 '01 08:47 NO.410 04/05

FOURTH: That the amendments to the Certificate of Incorporation were authorized by the Board of Directors followed by the holder of all outstanding shares entitled to wore on amendments to the Certificate of Incorporation by written consent of the sole shareholder dated May 22, 2001.

IN WITNESS WHEREOF, this Certificate has been signed this 22nd Day of May, 2001.

F. A. Risch, President

STATE OF TEXAS
COUNTY OF DALLAS


F. L. REID, being duly sworn, deposes and says that he is the Secretary of MOBIL OIL CORPORATION, the corporation mentioned and described in the foregoing instrument; that he has read and signed the same and that the statements contained therein are true.

F. L. REID, Secretary

SUBSCRIBED AND SWORN TO before me, the undersigned authority, on this the 224 day of May, 2001.

SEAL]

NOTARY PUBLIC, STATE OF TEXAS



P. 11

csc csc

: 5

--;

5184334741

06/01 '01 09:01 NO.411 02/02 -0106010 00187

C3C 45

CERTIFICATE OF AMENDMENT

OF

MOBIL OIL CORPORATION

Under Section 805 of the Business Corporation Law

STATE OF NEW YORK DEPARTMENT OF STATE

Filed by: EXXONMOBIL CORPORATION

(Name)

FILED JUN 0 1 2001

TAX\$

5959 Las Colinas Blvd.

(Mailing address)

arting

Irving, TX 75039-2298

(City, State and Zip code)

wer Ry# 16557817PJ

JOL C 5 2001

010601000/95

,TEL=5184334741

06/01/01 08:19

State of New York | State | State | State |

I hereby certify that the annexed copy has been compared with the original document in the custody of the Secretary of State and that the same is a true copy of said original.

Witness my hand and seal of the Department of State on JUN 01 2001



Special Deputy Secretary of State

DOS-1266 (7/00)

OPERATOR CHANGE WORKSHEET

ROUTING

1. GLH
2. CDW
3. FILE

Change of Operator (Well Sold)

Designation of Agent

X Operator Name Change

5. If **NO**, the operator was contacted contacted on:

Merger

The operator of the well(s) listed below has changed,	effective:	06-01-2001					
FROM: (Old Operator):		TO: (New Ot	erator):				
MOBIL EXPLORATION & PRODUCTION		EXXONMOBIL OIL CORPORATION					
Address: P O BOX DRAWER "G"		Address: U S WEST P O BOX 4358					
	1						
CORTEZ, CO 81321	1	HOUSTON, TX 77210-4358					
Phone: 1-(970)-564-5212	1	Phone: 1-(713)					
Account No. N7370	1	Account No.					
CA No.	•	Unit:	RATHER	FORD			
WELL(S)		/////					
	SEC TWN	API NO	ENTITY	LEASE	WELL	WELL	
NAME	RNG		NO	TYPE	TYPE	STATUS	
RATHERFORD UNIT 1-34	01-41S-23E	43-037-16385		INDIAN	ow	P	
RATHERFORD UNIT 1-14	01-41S-23E	43-037-31162	6280	INDIAN	OW	P	
RATHERFORD 11-41	11-41S-23E	43-037-31544	6280	INDIAN	OW	P	
RATHERFORD UNIT 11-43	11-41S-23E	43-037-31622	6280	INDIAN	ow	P	
12-14	12-41S-23E	43-037-15844	6280	INDIAN	ow	P	
RATHERFORD UNIT 12-23 (MULTI-LEG)	12-41S-23E	43-037-15846	6280	INDIAN	ow	P	
RATHERFORD UNIT 12-34	12-41S-23E	43-037-31126	6280	INDIAN	ow	P	
RATHERFORD UNIT 12-12	12-41S-23E	43-037-31190	6280	INDIAN	OW	P	
RATHERFORD UNIT 12-21	12-41S-23E	43-037-31201	6280	INDIAN	OW	P	
RATHERFORD UNIT 12-43	12-41S-23E	43-037-31202	6280	INDIAN	ow	P	
RATHERFORD UNIT 12-32	12-41S-23E	43-037-31203	6280	INDIAN	ow	P	
RATHERFORD UNIT 13-41	13-41S-23E	43-037-15856	6280	INDIAN	OW	P	
N DESERT CR 32-13 (13-32)	13-41S-23E	43-037-16406	6280	INDIAN	ow	S	
RATHERFORD UNIT 13-12	13-41S-23E	43-037-31127	6280	INDIAN	ow	P	
RATHERFORD UNIT 13-21	13-41S-23E	43-037-31128	6280	INDIAN	ow	P	
RATHERFORD UNIT 13-23	13-41S-23E	43-037-31129	6280	INDIAN	OW	P	
RATHERFORD UNIT 13-34 (RE-ENTRY)	13-41S-23E	43-037-31130	6280	INDIAN	ow	P	
RATHERFORD UNIT 13-43	13-41S-23E	43-037-31131	6280	INDIAN	OW	P	
RATHERFORD UNIT 13-14	13-41S-23E	43-037-31589	6280	INDIAN	OW	P	
14-32	14-41S-23E	43-037-15858	6280	INDIAN	OW	P	
OPERATOR CHANGES DOCUMENTATION Enter date after each listed item is completed 1. (R649-8-10) Sundry or legal documentation was received in the second seco		•	on: 06/29/200	<u>06/29/2001</u>	_		
3. The new company has been checked through the Departm	ent of Comm	erce, Division o	of Corpora	tions Datab	ase on:	04/09/2002	
4. Is the new operator registered in the State of Utah:	YES	Business Numb	er:	<u>579865-014</u>	3		

N/A

6.	Federal and Indian Lease Wells: The BLM and or to or operator change for all wells listed on Federal or Indian lea	* *	
7.	7. Federal and Indian Units: The BLM or BIA has approved the successor of unit operate	or for wells listed on:	06/01/2001
8.	Federal and Indian Communization Agreement The BLM or BIA has approved the operator for all wells lis	•	N/A
9.	7. Underground Injection Control ("UIC") The for the enhanced/secondary recovery unit/project for the water		d UIC Form 5, Transfer of Authority to Inject, on: N/A
D.	DATA ENTRY:		
1.	. Changes entered in the Oil and Gas Database on: 0	4/12/2002	
2.	. Changes have been entered on the Monthly Operator Chang	ge Spread Sheet on:	04/12/2002
3.	. Bond information entered in RBDMS on:	N/A	
4.	. Fee wells attached to bond in RBDMS on:	N/A	
Sī	STATE WELL(S) BOND VERIFICATION:		
1.	. State well(s) covered by Bond Number:	N/A	
FI	FEDERAL WELL(S) BOND VERIFICATION:		
1.	. Federal well(s) covered by Bond Number:	N/A	
IN	NDIAN WELL(S) BOND VERIFICATION:	10-10-10-11	
1.	. Indian well(s) covered by Bond Number: 8	30273197	
FI	FEE WELL(S) BOND VERIFICATION:		
1.	. (R649-3-1) The NEW operator of any fee well(s) listed cover	ed by Bond Number	<u>N/A</u>
	. The FORMER operator has requested a release of liability from The Division sent response by letter on:	m their bond on: N/A	N/A
	LEASE INTEREST OWNER NOTIFICATION: (R649-2-10) The FORMER operator of the fee wells has been of their responsibility to notify all interest owners of this change		d by a letter from the Division
CC	COMMENTS:		

Division of Oil, Gas and Mining OPERATOR CHANGE WORKSHEET

ROUTING	;
1. DJJ	
2. CDW	

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed, effective:		6/1/2006
	TO: (New Operator):	
FROM: (Old Operator): N1855-ExxonMobil Oil Corporation	N2700-Resolute Natural	Resources Company
PO Box 4358	1675 Broadway,	
Houston, TX 77210-4358	Denver, CO 8020	2
Phone: 1 (281) 654-1936	Phone: 1 (303) 534-4600	
CA No.	Unit:	RATHERFORD
OPERATOR CHANGES DOCUMENTATION		
Enter date after each listed item is completed		
1. (R649-8-10) Sundry or legal documentation was received from the	e FORMER operator on:	4/21/2006
2. (R649-8-10) Sundry or legal documentation was received from the	e NEW operator on:	4/24/2006
3. The new company was checked on the Department of Commerc	e, Division of Corporatio	ons Database on: 6/7/2006
4. Is the new operator registered in the State of Utah: YES	Business Number:	5733505-0143
5. If NO , the operator was contacted contacted on:		
6a. (R649-9-2)Waste Management Plan has been received on:	requested	
6b. Inspections of LA PA state/fee well sites complete on:	n/a	
6c. Reports current for Production/Disposition & Sundries on:	ok	
7. Federal and Indian Lease Wells: The BLM and or the	BIA has approved the	merger, name change,
or operator change for all wells listed on Federal or Indian leases	on: BLM	n/a BIAnot yet
8. Federal and Indian Units:		
The BLM or BIA has approved the successor of unit operator for	or wells listed on:	not yet
9. Federal and Indian Communization Agreements ("CA"):	
The BLM or BLA has approved the operator for all wells listed	within a CA on:	n/a
10 Underground Injection Control ("UIC") The I	Division has approved UIC	Form 5, Transfer of Authority to
Inject, for the enhanced/secondary recovery unit/project for the	water disposal well(s) listed	d on: 6/12/2006
DATA ENTRY:		
1 Changes entered in the Oil and Gas Database on:	6/22/2006	
2. Changes have been entered on the Monthly Operator Change S	Spread Sheet on:	6/22/2006
3. Bond information entered in RBDMS on:	n/a	
4. Fee/State wells attached to bond in RBDMS on:	n/a	
5. Injection Projects to new operator in RBDMS on:	6/22/2006 n/a	
6. Receipt of Acceptance of Drilling Procedures for APD/New on:	11/4	
BOND VERIFICATION:	n/a	
1. Federal well(s) covered by Bond Number:	PA002769	
 Indian well(s) covered by Bond Number: (R649-3-1) The NEW operator of any fee well(s) listed covered 		n/a
a. The FORMER operator has requested a release of liability from t		-
The Division sent response by letter on:	n/a	
LEASE INTEREST OWNER NOTIFICATION:		
4. (R649-2-10) The FORMER operator of the fee wells has been co	ontacted and informed by a	letter from the Division
of their responsibility to notify all interest owners of this change	on: n/a	
COMMENTS:		

STATE OF LITAH

_	EPARTMENT OF NATURAL RESOUR VISION OF OIL, GAS AND MII				SE DESIGNATION AND SERIAL NUMBER:		
SUNDRY NOTICES AND REPORTS ON WELLS					DIAN, ALLOTTEE OR TRIBE NAME: ajo Tribe		
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom-hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.					7. UNIT OF CA AGREEMENT NAME: Ratherford Unit		
1. TYPE OF WELL OIL WELL		Jnit Agreeme		III TORUNINGER	L NAME and NUMBER: attached list		
2. NAME OF OPERATOR: Resolute Natural Resources	Company Na760			3 003	API NUMBER: Attached		
3. ADDRESS OF OPERATOR:		80202	PHONE NUMBER: (303) 534-4600		LD AND POOL, OR WILDCAT: ater Aneth		
1675 Broadway, Suite 1950 CITY LOCATION OF WELL FOOTAGES AT SURFACE: See atta QTR/QTR, SECTION, TOWNSHIP, RANGE	ched list			COUNT	y: San Juan UTAH		
11. CHECK APPRO	OPRIATE BOXES TO INDICAT	E NATURE	OF NOTICE, REPO	RT, O	R OTHER DATA		
TYPE OF SUBMISSION		Ţ	YPE OF ACTION				
NOTICE OF INTENT (Submit in Duplicate) Approximate date work will start:	ACIDIZE ALTER CASING CASING REPAIR CHANGE TO PREVIOUS PLANS	DEEPEN FRACTURE NEW CONS OPERATOR	TRUCTION		REPERFORATE CURRENT FORMATION SIDETRACK TO REPAIR WELL TEMPORARILY ABANDON TUBING REPAIR		
SUBSEQUENT REPORT (Submit Original Form Only) Date of work completion:	CHANGE TUBING CHANGE WELL NAME CHANGE WELL STATUS COMMINGLE PRODUCING FORMATIONS CONVERT WELL TYPE	RECLAMATI			VENT OR FLARE WATER DISPOSAL WATER SHUT-OFF OTHER:		
12. DESCRIBE PROPOSED OR COM	IPLETED OPERATIONS. Clearly show all p	pertinent details inc	cluding dates, depths, volum	nes, etc.			
Effective June 1, 2006 Exxo Resolute Natural Resource: A list of affected producing UIC Form 5, Transfer of Au	on Mobil Oil Corporation resigns s Company is designated as su and water source wells is attacl	s as operator accessor oper hed. A separa	of the Ratherford U rator of the Ratherfo ate of affected inject	Init. Als ord Unit	t. Ills is being submitted with		
NAME (PLEASE/PRINT) Dwight E M	Aloro	*	F Regulatory Cool	rdinato	r		
SIGNATURE LATE		TIT!	4/20/2006				
(This space for State use only)				RE	CEIVED		

APPROVED 6 137 106

Carlene Russell

Division of Oil, Gas and Mining Littons on Reverse Side)

APR 2 4 2006

Earlene Russell, Engineering Technician

DIV. OF OIL, GAS & MINING

STATE OF UTAH		FORM 9		
DEPARTMENT OF NATURAL RESOUR DIVISION OF OIL, GAS AND MIN	5. LEASE DESIGNATION AND SERIAL NUMBER:			
SUNDRY NOTICES AND REPORTS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME: Ship Rock			
Do not use this form for proposals to drill new wells, significantly deepen existing wells below curre drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL fo	7. UNIT of CA AGREEMENT NAME: UTU68931A			
A TYPE OF WELL		8. WELL NAME and NUMBER: Ratherford		
		9. API NUMBER:		
2. NAME OF OPERATOR: ExxonMobil Oil Corporation N / 855	attached			
3. ADDRESS OF OPERATOR:	PHONE NUMBER:	10. FIELD AND POOL, OR WILDCAT: Aneth		
	77210-4358 (281) 654-1936	Alleut		
4. LOCATION OF WELL FOOTAGES AT SURFACE:	10. 建 轴 2. 4	COUNTY: San Juan		
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:		STATE: UTAH		
11. CHECK APPROPRIATE BOXES TO INDICAT	E NATURE OF NOTICE REPO	RT. OR OTHER DATA		
	TYPE OF ACTION			
TYPE OF SUBMISSION	DEEPEN	REPERFORATE CURRENT FORMATION		
✓ NOTICE OF INTENT	FRACTURE TREAT	SIDETRACK TO REPAIR WELL		
(Submit in Duplicate) Approximate date work will start: CASING REPAIR	NEW CONSTRUCTION	TEMPORARILY ABANDON		
C	OPERATOR CHANGE	TUBING REPAIR		
6/1/2006 CHANGE TO PREVIOUS PLANS	PLUG AND ABANDON	VENT OR FLARE		
	PLUG BACK	WATER DISPOSAL		
SUBSEQUENT REPORT (Submit Original Form Only) CHANGE WELL NAME CHANGE WELL STATUS	PRODUCTION (START/RESUME)	WATER SHUT-OFF		
Date of work completion: COMMINGLE PRODUCING FORMATIONS	RECLAMATION OF WELL SITE			
CONVERT WELL TYPE	RECOMPLETE - DIFFERENT FORMATION			
		one atc		
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all p	pertinent details including dates, deptilis, volum	65, 010		
ExxonMobil Oil Corporation is transferring operatorship of Company. All change of operator notices should be made Attached please find a listing of producers and water source.	effective as of 7:00 AM MST off	ease to Resolute Natural Resources June 1, 2006.		
	TITLE Permitting Supe	ervisor		
NAME (PLEASE PRINT) Laurie Kilbride	TITLE Permitting Supe			
SIGNATURE SAME B. Kelbud	DATE 4/19/2006			

Division of Oil, Gas and Mining
Earlene Russell, Engineering Technician
(See Instruction

(See Instructions on Reverse Side)

RECEIVED APR 2 1 2006

Ratherford Unit - Producer Well List

			r —	-T			_	Location	1	
	i	A D1 #	Chatua	1 0000 #	Sec	ĪΤ	R	QTR/QTR		EWFoot
Lease	Number	API#	Status	Lease #	Sec			QIIVQIIV	1401 000	EVVI OOL
	<u> </u>	10007011000001	Design and the second	44000000464	1	415	225	SWSW	0660FSL	0660FWL
Ratherford	01-14	430373116200S1	Producing	1420603246A	1			SWSE	1133FSL	1980FEL
Ratherford	01-34	430371638501S1	SI	1420603246A	1				0860FNL	0350FEL
Ratherford	11-41	430373154400S1	Producing	1420603246A	11			NENE		0660FEL
Ratherford	11-43	430373162201S1	Producing	1420603246A	11			NESE	1980FSL	
Ratherford	12-12	430373119000S1	Producing	1420603246A	12			SWNW	1850FNL	0660FWL
Ratherford	12-14	430371584400S1	SI	1420603246A	12			SWSW		4622FEL
Ratherford	12-21	430373120100S1	Producing	1420603246A	12			NENW	0660FNL	1980FWL
Ratherford	12-23	430371584601S1	Producing	1420603246A	12			NESW		3300FEL
Ratherford	12-32	430373120300S1	Producing	1420603246A	12			SWNE	1820FNL	-
Ratherford	12-34	430373112600S1	Producing	1420603246A	12			SWSE	0675FSL	1905FEL
Ratherford	12-43	430373120200S1	SI	1420603246A	12	41S	23E	NESE	2100FSL	0660FEL
Ratherford	13-12	430373112701S1	Producing	1420603247A	13	418	23E	SWNW	1705FNL	0640FWL
Ratherford	13-14	430373158900S1	Producing	1420603247A	13	415	23E	SWSW	0660FSL	0660FWL
Ratherford	13-21	430373112801S1	SI	1420603247A	13	418	23E	NENW	0660FNL	1920FWL
Ratherford	13-23	430373112900S1	Producing	1420603247A	13	41S	23E	NESW	1980FSL	1930FWL
Ratherford	13-34	430373113001S1	Producing	1420603247A	13	41S	23E	SWSE	0660FSL	1980FEL
Ratherford	13-41	430371585601S1	Producing	1420603247A	13	418	23E	NENE	660FNL	660FEL
Ratherford	13-43	430373113100S1	Producing	1420603247A	13	418	23E	NESE	1700FSL	0960FEL
Ratherford	14-32	430371585801S1	Producing	1420603247A	14			SWNE	2130FNL	1830FEL
Ratherford	14-41	430373162300S1	Producing	1420603247A	14	418	23E	NENE	0521FNL	0810FEL
Ratherford	24-32	430373159300S1	Producing	1420603247A	24			SWNE	2121FNL	1846FEL
Ratherford	24-32	430373113200S1	Producing	1420603247A	24			NENE	0660FNL	0710FEL
Ratheriolu	24-41	43037311020001	ricadeing	1 120000	 	1				
Dethorford	17-11	430373116900S1	Producing	1420603353	17	418	24E	NWNW	1075FNL	0800FWL
Ratherford	17-13	43037311090031 430373113301S1	Producing	1420603353	17			NWSW	2100FSL	0660FWL
Ratherford		43037311301S1	Producing	1420603353	17			SENW	1882FNL	1910FWL
Ratherford	17-22	43037311700131 430373104400S1	Producing	1420603353	17			SESW	0720FSL	1980FWL
Ratherford	17-24		Producing	1420603353	17			NWNE	0500FNL	1980FEL
Ratherford	17-31	430373117800S1		1420603353	17			NWSE	1980FSL	1845FEL
Ratherford	17-33	430373113400S1	Producing	1420603353	17	418			1980FNL	0660FEL
Ratherford	17-42	430373117700S1	Producing		17		24E		0660FSL	0660FEL
Ratherford	17-44	430371573201S1	Producing	1420603353	18	_	_	NWNW		0730FWL
Ratherford	18-11	430371573300S1	SI	1420603353	_					0500FWL
Ratherford	18-13	430371573401S1	Producing	1420603353	18			NWSW		
Ratherford	18-22	430373123600S1	Producing	1420603353	18			SENW		2210FWL
Ratherford	18-24	430373107900S1	Producing	1420603353	18			SESW		1980FWL
Ratherford	18-31	430373118101S1	Producing	1420603353	18			NWNE		2090FEL
Ratherford	18-33	430373113501S1	Producing	1420603353	18			NWSE		1980FEL
Ratherford	18-42	430373118200S1	Producing	1420603353	18			SENE		0745FEL
Ratherford	18-44	430373104500S1	SI	1420603353	18		_	SESE		0660FEL
Ratherford	19-11	430373108000S1	Producing	1420603353	19			NWNW		0660FWL
Ratherford	19-13	430373171900S1	Producing	1420603353	19		_	NWSW		0660FWL
Ratherford	19-22	430373104601S1	Producing	1420603353	19			SENW		
Ratherford	19-24	430373175401S1	Producing	1420603353	19			SESW		1980FWL
Ratherford	19-31	430373104701S1	Producing	1420603353	19	418	24E	NWNE	510FNL	1980FEL
Ratherford	19-33	430373104800S1	Producing	1420603353	19	418	24E	NWSE		1980FEL
Ratherford	19-42	430373091600S1	Producing	1420603353	19			SENE	1880FNL	. 0660FEL
Ratherford	19-44	43037303100051	Producing	1420603353	19		_	SESE		0660FEL
	19-44	43037310010001 430373159600S1	Producing	1420603353	19			SENE		0030FEL
Ratherford		430373104900S1	Producing	1420603353	20			NWNW		. 0660FWL
Ratherford	20-11	430373104900S1	Producing	1420603353	20			NWSW		0500FWL
Ratherford	20-13	430373091700S1	Producing	1420603353	20			SENW		2090FWL
Ratherford	20-22			1420603353	20			SESW		1820FWL
Ratherford	20-24	430373091800S1	Producing	11420003333		710	1 4 TL	-105044	JULIO OL	1.0-0. 110

Ratherford Unit - Producer Well List

								Locatio	n	Atavat - Allanies -
Lease	Number	API#	Status	Lease #	Sec	T	R	QTR/QTR	NSFoot	EWFoot
			3							
Ratherford	20-31	430373105001S1	Producing	1420603353	20	41S		NWNE	0660FNL	1880FEL
Ratherford	20-33	430373093100S1	Producing	1420603353	20	41S		NWSE	1910FSL	2140FEL
Ratherford	20-42	430373105100S1	Producing	1420603353	20	418		SENE		0660FEL
Ratherford	20-44	430373091501S1	Producing	1420603353	20	415		SESE		0760FEL
Ratherford	20-66	430373159201S1	Producing	1420603353	20	415		SWNW	1369FNL	1221FWL
Ratherford	20-68	430373159100S1	Producing	1420603353	20	418	24E	NWSW	1615FSL	1276FWL
		7=								05005)4#
Ratherford	15-12	430371571501S1	Producing	1420603355	15			SWNW	1820FNL	0500FWL
Ratherford	15-22	430373044900S1	SI	1420603355	15			SENW		2050FWL
Ratherford	15-32	430371571700S1	Producing	1420603355	15			SWNE	1980FNL	1980FEL
Ratherford	15-33	430371571800S1	Producing	1420603355	15	418		NWSE	1650FSL	1980FEL
Ratherford	15-41	430371571900S1	TA	1420603355	15	41S		NENE	0660FNL	0660FEL
Ratherford	15-42	430373044800S1	Producing	1420603355	15	415		SENE	2020FNL	0820FEL
Ratherford	16-13	430373116801S1	Producing	1420603355	16	418		NWSW	1980FSL	660FWL
Ratherford	16-32	430371572300S1	Producing	1420603355	16	418		SWNE	1980FNL	1980FEL
Ratherford	16-41	430371572500S1	Producing	1420603355	16	415		NENE	0660FNL	0660FEL
Ratherford	16-77	430373176800S1	Producing	1420603355	16	418		NESW		2410FWL
Ratherford	21-23	430371375400S1	Producing	1420603355	21	418		NESW	1740FSL	1740FWL
Ratherford	21-24	430373172001S1	SI	1420603355	21			SESW	487FSL	2064FWL
Ratherford	21-32	430371575500S1	SI	1420603355	21	418		SWNE	1880FNL	1980FEL
Ratherford	21-77	430373175801S1	SI	1420603355	21	415	24E	NWSE	2511FSL	2446FEL
						 	L.		DOCCENII.	DZ40EXA
Ratherford	07-11	430373116300S1	Producing	1420603368	7	415		NWNW	0660FNL	0710FWL
Ratherford	07-13	430373116400S1	Producing	1420603368	7	415		NWSW	2110FSL	0740FWL
Ratherford	07-22	430373116500S1	Producing	1420603368	7	_		SENW	1980FNL	1980FWL
Ratherford	07-24	430373116600S1	Producing	1420603368	7			SESW	0880FSL	2414FWL 0555FEL
Ratherford	07-44	430373118900S1	SI	1420603368	7			SESE	0737FSL	0520FWL
Ratherford	08-12	430371599100S1	Producing	1420603368	8	-		SWNW	1909FNL 0616FNL	1911FWL
Ratherford	08-21	430371599300S1	Producing	1420603368	8	418		NENW	1920FSL	2055FWL
Ratherford	08-23	430371599400S1	Producing	1420603368	8	415		NESW	1980FNL	1980FEL
Ratherford	08-32	430371599500S1	Producing	1420603368	8	415		SWNE	0660FSL	1980FEL
Ratherford	08-34	430371599600S1	Producing	1420603368	8	418	24E	SVVSE	UOOUFSL	ISOUFEL
				4.400000.4035	+ 4	440	245	SWSE	0660FSL	1980FEL
Ratherford	04-34	430371616400S1	Producing	14206034035	4	1415	245	JOVVOE	00001 SL	13001 LL
		10007404070004	Dradusing	14206034037	11	1/18	245	SWSW	0660FSL	0660FWL
Ratherford	11-14	430371616700S1	Producing	14206034037	+	1413	246		100001 01	00001 112
		40007457440004	SI	14206034043	9	419	24F	SWSE	0660FSI	1980FEL
Ratherford	09-34	430371571100S1	Producing	14206034043	10			SWNW		0660FWL
Ratherford	10-12	430371571200S1 430371571300S1	Producing	14206034043	10			swsw	0510FSL	-
Ratherford	10-14	430371571400S1	TA	14206034043	10	_		SWNE		1910FEL
Ratherford	10-32	430371371400S1	TA	14206034043	10			SESE	0820FSL	
Ratherford	10-44	43037304510051	11/2	14200034040	1-10	+	1		1	
Dath a fairl	20.44	430373105300S1	Producing	1420603407	29	415	24F	NWNW	0770FNL	0585FWL
Ratherford	29-11		Producing	1420603407	29			SENW		1370FWL
Ratherford	29-22	430373108200S1	Producing	1420603407	29			NWNE		2140FEL
Ratherford	29-31	430373091401S1	SI	1420603407	29			NWSE		1820FEL
Ratherford	29-33	430373093200S1	SI	1420603407	29			SWSE		2096FEL
Ratherford	29-34	430371534000S1	SI	1420603407	29			SENE		0660FEL
Ratherford	29-42	430373093700S1	Producing	1420603407	30			SWNE	1975FNL	
Ratherford	30-32	430371534200S1	Floudcing	142000407	+ **	1	+			= 17
Doth a of a set	20.44	430373044600S1	Producing	1420603409	28	415	24F	NWNW	0520FNL	0620FWL
Ratherford	28-11	4303/304400031	rioducing	142000400	1	+-	+	+		1

		API#	Status	Lease #	Location						
Lease	Number				Sec	Т	R	QTR/QTR	NSFoot	EWFoot	
Ratherford	09-12	430371512600S1	Producing	14206035045	9	415	24E	SWNW	1865FNL	0780FWL	
Ratherford	09-14	430371512700S1	Producing	14206035046	9	415	24E	SWSW	0695FSL	0695FWL	
Ratherford	04-14	430371616300S1	Producing	14206035446	4	41S	24E	SWSW	0500FSL	0660FWL	
Ratherford	03-12	430371562000S1	Producing	14206036506	3	418	24E	SWNW	2140FNL	0660FWL	

Water S			
RU	S1	4303700001	Active
RU	S2	4303700002	Active
RU	S3	4303700003	Active
RU	S4	4303700004	Active
RU	S5	4303700005	Active
RU	S6	4303700006	Active
RU	S7	4303700007	Active
RU	S8	4303700008	Active
RU	S9	4303700009	Active
RU	S10	4303700010	Active
RU	S11	4303700011	Active
RU	S12	4303700012	Active
RU	S13	4303700013	Active
RU	S14	4303700014	Active
RU	S16	4303700016	Active
RU	S17	4303700017	Active